











## Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
1	Panini Grill	PG-811A		Voltage: 220~240V/50Hz Power: 1800W Top Plate Size: 204*215mm Bottom Plate Size: 240*240mm Dimension: 305*365*210mm Temperature Range: 50~300℃	<ul style="list-style-type: none"> <li>● Full Ribbed Plate</li> <li>● Body Material: SUS 201</li> <li>● Certification: CE, RoHS</li> </ul>
2	Panini Grill	PG-811B		Voltage: 220~240V/50Hz Power: 1800W Top Plate Size: 204*215mm Bottom Plate Size: 240*240mm Dimension: 305*365*210mm Temperature Range: 50~300℃	<ul style="list-style-type: none"> <li>● Full Smooth Plate</li> <li>● Body Material: SUS 201</li> <li>● Certification: CE, RoHS</li> </ul>
3	Panini Grill	PG-811C		Voltage: 220~240V/50Hz Power: 1800W Top Plate Size: 204*215mm Bottom Plate Size: 240*240mm Dimension: 305*365*210mm Temperature Range: 50~300℃	<ul style="list-style-type: none"> <li>● Top Ribbed Bottom Smooth Plate</li> <li>● Body Material: SUS 201</li> <li>● Certification: CE, RoHS</li> </ul>
4	Panini Grill	PG-812A		Voltage: 220~240V/50Hz Power: 2200W Top Plate Size: 338*218mm Bottom Plate Size: 360*240mm Dimension: 430*365*210mm Temperature Range: 50~300℃	<ul style="list-style-type: none"> <li>● Full Ribbed Plate</li> <li>● Body Material: SUS 201</li> <li>● Certification: CE, RoHS</li> </ul>
5	Panini Grill	PG-812B		Voltage: 220~240V/50Hz Power: 2200W Top Plate Size: 338*218mm Bottom Plate Size: 360*240mm Dimension: 430*365*210mm Temperature Range: 50~300℃	<ul style="list-style-type: none"> <li>● Full Smooth Plate</li> <li>● Body Material: SUS 201</li> <li>● Certification: CE, RoHS</li> </ul>

## Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
6	Panini Grill	PG-812C		<p>Voltage: 220~240V/50Hz Power: 2200W Top Plate Size: 338*218mm Bottom Plate Size: 360*240mm Dimension: 430*365*210mm Temperature Range: 50~300℃</p>	<ul style="list-style-type: none"> <li>• Top Ribbed Bottom Smooth Plate</li> <li>• Body Material: SUS 201</li> <li>• Certification: CE, RoHS</li> </ul>
7	Panini Grill	PG-812D		<p>Voltage: 220~240V/50Hz Power: 4200W Top Plate Size: 385*215mm x2 Bottom Plate Size: 820*283mm Dimension: 845*365*210mm Temperature Range: 50~300℃</p>	<ul style="list-style-type: none"> <li>• Full Ribbed Plate</li> <li>• Body Material: SUS 201</li> <li>• Certification: CE, RoHS</li> </ul>
8	Panini Grill	PG-813A		<p>Voltage: 220~240V/50Hz Power: 3600W Top Plate Size: 385*215mm x2 Bottom Plate Size: 500*240mm Dimension: 565*365*210mm Temperature Range: 50~300℃</p>	<ul style="list-style-type: none"> <li>• Full Ribbed Plate</li> <li>• Body Material: SUS 201</li> <li>• Certification: CE, RoHS</li> </ul>
9	Panini Grill	PG-813B		<p>Voltage: 220~240V/50Hz Power: 3600W Top Plate Size: 385*215mm x2 Bottom Plate Size: 500*240mm Dimension: 565*365*210mm Temperature Range: 50~300℃</p>	<ul style="list-style-type: none"> <li>• Full Smooth Plate</li> <li>• Body Material: SUS 201</li> <li>• Certification: CE, RoHS</li> </ul>
10	Panini Grill	PG-813C		<p>Voltage: 220~240V/50Hz Power: 3600W Top Plate Size: 385*215mm x2 Bottom Plate Size: 500*240mm Dimension: 565*365*210mm Temperature Range: 50~300℃</p>	<ul style="list-style-type: none"> <li>• Top Ribbed Bottom Smooth Plate</li> <li>• Body Material: SUS 201</li> <li>• Certification: CE, RoHS</li> </ul>

## Product Brochure

---

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
-----	------------	-------	------------------------	---------------	--------