

Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
1	Commercial Pizza Oven	KPZ-60M		Voltage:220-240V/50Hz Power: 3.6KW Chamber Size : 450×444×212mm Dimension: 635×640×411mm Stone Size: 468×430×15mm	欧式蒸汽平炉,可与CK06-60组合 上下发热管加热 内置蒸汽发生器, 可提供爆发式的蒸汽覆盖食品, 适合欧包烘焙使用 内置抽水泵
2	Commercial Pizza Oven	KPZ-120M		Voltage:220-240V/50Hz Power: 4.7KW Chamber Size : 610×456×212mm Dimension: 838×740×411mm Stone Size: 638×430×15mm	欧式蒸汽平炉,可与CK06-95组合 上下发热管加热 内置蒸汽发生器, 可提供爆发式的蒸汽覆盖食品, 适合欧包烘焙使用 内置抽水泵
3	Commercial Pizza Oven	KPS-11A		Voltage:220-240V/50Hz Power: 3.2KW (+2Kw steam) Chamber Size : 640×220×435mm Dimension: 930×590×445mm Stone Size: 638×430×15mm	智能 (一层一盘),多层平炉系列 (可加装蒸汽包, 250一个, 内胆底板标配铝板, 换石板补差价45元一个)
4	Commercial Pizza Oven	KPS-11		Voltage:220-240V/50Hz Power: 3.2KW (+2Kw steam) Chamber Size : 640×220×435mm Dimension: 930×590×445mm Stone Size: 638×430×15mm	旋钮款 (一层一盘),多层平炉系列 (可加装蒸汽包, 250一个, 内胆底板标配铝板, 换石板补差价45元一个)
5	Commercial Pizza Oven	KPS-12A		Voltage:220-240V/50Hz Power: 6.4KW (+2Kw steam x2pcs) Chamber Size : 870×220×640mm Dimension: 1160×795×445mm Stone Size: 638×430×15mm	智能 (一层两盘),多层平炉系列 (可加装蒸汽包, 250一个, 内胆底板标配铝板, 换石板补差价45元一个)
6	Commercial Pizza Oven	KPS-12		Voltage:220-240V/50Hz Power: 6.4KW (+2Kw steam x2pcs) Chamber Size : 870×220×640mm Dimension: 1160×795×445mm Stone Size: 638×430×15mm	旋钮款 (一层两盘),多层平炉系列 (可加装蒸汽包, 250一个, 内胆底板标配铝板, 换石板补差价45元一个)
7	Commercial Pizza Oven	KPS-22A		Voltage:220-240V/50Hz Power: 6.62KW (+2Kw steam) Chamber Size : 870×220×640mmx2 Dimension: 930×590×825mm Stone Size: 638×430×15mmx4	智能 (两层两盘),多层平炉系列 (可加装蒸汽包, 250一个, 内胆底板标配铝板, 换石板补差价45元一个)
8	Commercial Pizza Oven	KPS-22		Voltage:220-240V/50Hz Power: 6.62KW (+2Kw steam) Chamber Size : 870×220×640mmx2 Dimension: 930×590×825mm Stone Size: 638×430×15mmx4	旋钮款 (两层两盘),多层平炉系列 (可加装蒸汽包, 250一个, 内胆底板标配铝板, 换石板补差价45元一个)

Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
9	Commercial Pizza Oven	KPS-24A		Voltage:220-240V/50Hz Power: 13.2KW (+2Kw steemx2pcs) Chamber Size : 870×220×640mmx 2 Dimension:1160×795×825mm Stone Size: 638×430×15mmx4	智能 (两层两盘),多层平炉系列 (可加装蒸汽包, 250一个, 内胆底板标配铝板, 换石板补差价45元一个)
10	Commercial Pizza Oven	KPS-24		Voltage:220-240V/50Hz Power: 13.2KW (+2Kw steemx2pcs) Chamber Size : 870×220×640mmx 2 Dimension:1160×795×825mm Stone Size: 638×430×15mmx4	旋钮款 (两层两盘),多层平炉系列 (可加装蒸汽包, 250一个, 内胆底板标配铝板, 换石板补差价45元一个)
11	Commercial Pizza Oven	KPS-36A		Voltage:220-240V/50Hz Power: 19.8KW (+2Kw steemx3pcs) Chamber Size : 870×220×640mmx 3 Dimension:1160×795×1205mm Stone Size: 638×430×15mmx 6	智能 (两层两盘),多层平炉系列 (可加装蒸汽包, 250一个, 内胆底板标配铝板, 换石板补差价45元一个)
12	Commercial Pizza Oven	KPS-36		Voltage:220-240V/50Hz Power: 19.8KW (+2Kw steemx3pcs) Chamber Size : 870×220×640mmx 3 Dimension:1160×795×1205mm Stone Size: 638×430×15mmx 6	旋钮款 (两层两盘),多层平炉系列 (可加装蒸汽包, 250一个, 内胆底板标配铝板, 换石板补差价45元一个)
13	Pizza Oven	EP-1ST		Voltage: 220-240V/50Hz Power: 2Kw Baking stone: 400*400mm x1pc Chamber size: 415*400*120mm Dimension: 560*570*280mm N.W.: 19KG G.W.: 21KG	● Body material: SUS 201 ● Temperature range: 0-350℃ ● Device: thermostat+power switch+timer+stone ● Tempered glass 5mm thickness ● Stone thickness:14mm ● Timer: 0-120mins ● Certification: CE
14	Pizza Oven	EP-1AT		Voltage: 220-240V/50Hz or 110V/60Hz Power: 2.5Kw Baking Stone: 330*330mm x1pcs Chamber Size: 350*350*200mm Dimension: 496*490*350mm	* Body Material: Stainless Steel 201 Front Face, Painted Side/Back Face * Temperature Range: 0-350℃ * Device:Thermostat+Power Switch+Timer+Stone * Tempered glass 5mm thickness * 14mm Cordierite Stone
15	Pizza Oven	EP-2PT		Voltage: 220-240V/50Hz Power: 3Kw Baking stone: 400*400mm x1pc Chamber size: 415*400*120mm x2 Dimension: 560*570*440mm N.W.: 29KG G.W.: 31.5KG	● Body material: SUS 201 front face, painted side/back body ● Temperature range: 50-350℃ ● Device: thermostat+power switch+timer+stone ● Tempered glass 5mm thickness ● Stone thickness:14mm ● Timer: 0-120mins ● Certification: CE
16	Pizza Oven	EP-2ST		Voltage: 220-240V/50Hz Power: 3Kw Baking stone: 400*400mm x1pc Chamber size: 415*400*120mm x2 Dimension: 560*570*440mm N.W.: 29KG G.W.: 31.5KG	● Body material: SUS 201 ● Temperature range: 50-350℃ ● Device: thermostat+power switch+timer+stone ● Tempered glass 5mm thickness ● Stone thickness:14mm ● Timer: 0-120mins ● Certification: CE

Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
17	Pizza Oven	E01-1		Voltage: 220-240V/50Hz 380V/50Hz Power: 4.2Kw Baking stone: 638*400mmx1pc Chamber size: 640*438*140mm Dimension: 870*600*345mm N.W.: 42KG G.W.: 44KG	• Body material: SUS 201 • Temperature range: 0-350℃ • Device: thermostat+power switch+timer+stone • Tempered glass 5mm thickness • Stone thickness:14mm • Timer: 0-120mins • Certification: CE
18	Pizza Oven	EPO-X1		Voltage:3N-380V/220~240V/50Hz Power: 4.2Kw Baking Stone: 653*430mm*2pcs Chamber Size: 870*640*220mm Dimension: 1220*880*942mm	*50-350C Temper Range *Device: Thermostat+Power Switch+Timer+Stone *Tempered glass 5mm thickness *Stone Thickness:14mm
19	Pizza Oven	EPO-X2		Voltage:3N-380V/220~240V/50Hz Power: 8.8Kw Chamber Size:640*435*170mm Baking Stone: 638*430mm*2pcs Dimension: 940*660*820mm	*With black or red size panel *Stainless Steel front door panel *50-350C Temper Range *Device: Thermostat+Power Switch+Timer+Stone *Tempered glass 5mm thickness *Stone Thickness:14mm
20	Pizza Oven	EPO-X4		Voltage:3N-380V/220~240V/50Hz Power: 13Kw Baking Stone: 638*430mm*4pcs Chamber Size: 870*640*180mm Dimension:1220*880*905mm	*With black or red size panel *Stainless Steel front door panel *50-350C Temper Range *Device: Thermostat+Power Switch+Timer+Stone *Tempered glass 5mm thickness *Stone Thickness:14mm
21	Pizza Oven	EPO-03		Voltage: 220~240v Power: 2kw Chamber Size: 420*400*160mm Baking Stone: 400x400x13mm*1 Dimension: 590*530*315mm Carton: 660*620*365mm N.W.: 25kg G.W.: 27kg	* Front door frame metal part is 201 stainless steel * the door is tempered glass * the black part of the body is iron plate spraying * the inner liner is aluminum plate * with the stone plate * 50-350C Temper Range * Timing range 0~120 minutes * Tempered glass 3mm thickness * Stone Thickness:13mm
22	Pizza Oven	EPO-04		Voltage: 220~240v Power: 3kw Chamber Size: 420*400*160mm*2 Baking Stone: 400x400x13mm*2 Dimension: 590*530*535mm Carton: 660*620*585mm N.W.: 39kg G.W.: 41kg	* Front door frame metal part is 201 stainless steel * the door is tempered glass * the black part of the body is iron plate spraying * the inner liner is aluminum plate * with the stone plate * 50-350C Temper Range * Timing range 0~120 minutes * Tempered glass 3mm thickness * Stone Thickness:13mm