



















Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
1	Bain Marie	BM-1/1		<p>Voltage: 220~240V/50Hz 110V/60Hz Power:1200W Pan size: 530*325*150mm No. of Pans: 1/1 GN x 1pc Dimension: 577*340*240mm Packing size: 590*350*280mm N.W:10.1KG G.W:11.44KG Temperature Range: 30-95℃</p>	<ul style="list-style-type: none"> ● Body material: stainless steel 202 ● Pan material: stainless steel 201 ● EGO thermostat ● With water tap ● GN Pan & lid included GN cover weight: 900g GN pan weight: 1400g ● Certification: CE, RoHS
2	Bain Marie	BM-1/2		<p>Voltage: 220~240V/50Hz 110V/60Hz Power:1200W Pan size: 325*265*150mm No. of Pans: 1/2 GN x 2pcs Dimension: 577*340*240mm Packing size: 590*350*280mm N.W: 9.05KG G.W: 10.65KG Temperature Range: 30-95℃</p>	<ul style="list-style-type: none"> ● Body material: stainless steel 202 ● Pan material: stainless steel 201 ● EGO thermostat ● With water tap ● GN Pan & lid included GN cover weight: 450g GN pan weight: 800g ● Certification: CE, RoHS
3	Bain Marie	BM-1/3		<p>Voltage: 220~240V/50Hz 110V/60Hz Power:1200W Pan size: 325*176*150mm No. of Pans: 1/3 GN x 3pcs Dimension: 577*340*240mm Packing size: 590*350*280mm N.W: 8.85KG G.W:10.14KG Temperature Range: 30-95℃</p>	<ul style="list-style-type: none"> ● Body material: stainless steel 202 ● Pan material: stainless steel 201 ● EGO thermostat ● With water tap ● GN Pan & lid included GN cover weight: 300g GN pan weight: 700g ● Certification: CE, RoHS
4	Bain Marie	BM-1/4		<p>Voltage: 220~240V/50Hz 110V/60Hz Power:1200W Pan size: 265*162*150mm No. of Pans: 1/4 GN x 4pcs Dimension: 577*340*240mm Packing size: 590*350*280mm N.W: 8.55KG G.W: 9.89KG Temperature Range: 30-95℃</p>	<ul style="list-style-type: none"> ● Body material: stainless steel 202 ● Pan material: stainless steel 201 ● EGO thermostat ● With water tap ● GN Pan & lid included GN cover weight: 200g GN pan weight: 550g ● Certification: CE, RoHS
5	Bain Marie	BM-1/6		<p>Voltage: 220~240V/50Hz 110V/60Hz Power:1200W Pan size: 176*162*150mm No. of Pans: 1/6 GN x 6pcs Dimension: 577*340*240mm Packing size: 590*350*280mm N.W: 8.35KG G.W:9.69KG Temperature Range: 30-95℃</p>	<ul style="list-style-type: none"> ● Body material: stainless steel 202 ● Pan material: stainless steel 201 ● EGO thermostat ● With water tap ● GN Pan & lid included GN cover weight: 150g GN pan weight: 400g ● Certification: CE, RoHS









Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
6	Bain Marie	BM-N		Voltage: 220~240V/50Hz 110V/60Hz Power:1200W Dimension: 577*340*240mm Packing size: 590*350*280mm N.W: 7.8KG G.W:9.14KG Temperature Range: 30-95℃	<ul style="list-style-type: none"> ● Body material: stainless steel 202 ● Pan material: stainless steel 201 ● EGO thermostat ● Without water tap ● Without GN Pan & lid ● Certification: CE, RoHS
7	Bain Marie	BM-W		Voltage: 220~240V/50Hz 110V/60Hz Power:1200W Dimension: 577*340*240mm Packing size: 590*350*280mm N.W: 7.8KG G.W:9.14KG Temperature Range: 30-95℃	<ul style="list-style-type: none"> ● Body material: stainless steel 202 ● Pan material: stainless steel 201 ● EGO thermostat ● With water tap ● GN Pan & lid not included ● Certification: CE, RoHS
8	Bain Marie	BM-S2		Voltage: 220~240V/50Hz 110V/60Hz Power:1200W Capacity: 7Lx2 Dimension: 577*340*240mm Packing size: 590*350*280mm N.W: 10.14KG G.W:11.1KG Temperature Range: 30-95℃	<ul style="list-style-type: none"> ● Body material: stainless steel 202 ● Pan material: stainless steel 201 ● EGO thermostat ● With water tap ● With round food pot & lid ● Certification: CE, RoHS
9	Bain Marie	BMH-1		Voltage: 220~240V/50Hz Power: 150W Capacity: 2.75L Dimension: 235*210*320mm N.W.: 2.6KG G.W.: 3.6KG	<ul style="list-style-type: none"> ● Body Material: SUS 201 ● 6 Setting Temperature ● Device: Thermostat+Power Switch+
10	Bain Marie	BMH-2		Voltage: 220~240V/50Hz Power: 300W Capacity: 2.75LX2 Dimension: 235*415*320mm N.W.: 6.75KG G.W.: 7.9KG	<ul style="list-style-type: none"> ● Body Material: SUS 201 ● Pot Material: Stainless Steel ● Device: Thermostat+Indicator Light ● Certification: CE, RoHS
11	Bain Marie	BMH-3		Voltage: 220~240V/50Hz Power: 450W Capacity: 2.75LX3 Dimension: 620*235*320mm Packing size: 780*360*390mm Temperature range: 30~110℃	<ul style="list-style-type: none"> ● Body Material: SUS 201 ● Pot Material: Stainless Steel ● Device: Thermostat+Indicator Light ● Certification: CE, RoHS
12	Bain Marie	BMH-4		Voltage: 220~240V/50Hz Power: 600W Capacity: 2.75LX4 Size: 420*415*320mm Temperature range: 0~95℃	<p>Bain Marie-4 Hot pot (with ladle) Material: Stainless Steel Work as an ideal warmer for soup, source etc 不带开关, 只有加热灯和温控器</p>




Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
13	Bain Marie	BM-3		Dimension: 910x350x320mm Temper Range: 50-110℃ With Water-pipe GN PAN:1/2*100mm*3pcs N.W: 13.5kgs GW: 15kg	*With Glasses *Dry burning-resistant protection *Body 201 thick 0.7mm / Plate 201 thickness 0.7mm / 0.7mm lid, both with taps
14	Bain Marie	BM-4		Dimension: 1175x350x320mm Temper Range: 50-110℃ With Water-pipe GN PAN:1/2*100mm*4pcs N.W:16.5kgs GW: 18.5	*With Glasses *Dry burning-resistant protection *Temper Range: 50-110℃ *GN PAN+LID and water tap included *Body 201 thick 0.7mm / Plate 201 thickness 0.7mm / 0.7mm lid, both with taps
15	Bain Marie	BM-5		Dimension: 1440x350x320mm N.W:20kgs GW: 21.5 Temper Range: 50-110℃ With Water-pipe GN PAN:1/2*100mm*5pcs	*With Glasses *Dry burning-resistant protection *Temper Range: 50-110℃ *GN PAN+LID and water tap included *Body 201 thick 0.7mm / Plate 201 thickness 0.7mm / 0.7mm lid, both with taps
16	Bain Marie	BM-3D		Dimension: 950x365x330mm Temper Range: 50-110℃ With Water-pipe GN PAN:1/2*100mm*3pcs N.W:17kgs G.W: 18.5kgs	*With Glasses *Digital Temperature indicator *Dry burning-resistant protection *Temper Range: 50-110℃ *GN PAN+LID and water tap included *Body 201 thick 0.7mm / Plate 201 thickness 0.7mm / 0.7mm lid, both with taps
17	Bain Marie	BM-4D		Dimension: 1215x365x330mm Temper Range: 50-110℃ With Water-pipe Without GN PAN.and cover GN PAN:1/2*100mm*4pcs N.W:21kgs G.W: 23kgs	*With Glasses *Digital Temperature indicator *Dry burning-resistant protection *Temper Range: 50-110℃ *GN PAN+LID and water tap included *Body 201 thick 0.7mm / Plate 201 thickness 0.7mm / 0.7mm lid, both with taps
18	Bain Marie	BM-5D		Dimension: 1485x365x330mm Temper Range: 50-110℃ With Water-pipe Without GN PAN.and cover GN PAN:1/2*100mm*5pcs N.W:26kgs G.W: 28.5kgs	*With Glasses *Digital Temperature indicator *Dry burning-resistant protection *Temper Range: 50-110℃ *GN PAN+LID and water tap included *Body 201 thick 0.7mm / Plate 201 thickness 0.7mm / 0.7mm lid, both with taps
19	Bain-Marie	BM-6D		Dimension: 1750x365x330mm Temper Range: 50-110℃ With Water-pipe Without GN PAN.and cover GN PAN:1/2*100mm*6pcs N.W:33kgs G.W: 35.5kgs	*With Glasses *Digital Temperature indicator *Dry burning-resistant protection *Temper Range: 50-110℃ *GN PAN+LID and water tap included *Body 201 thick 0.7mm / Plate 201 thickness 0.7mm / 0.7mm lid, both with taps
20	Bain Marie	BM-2T		Voltage: 220-240V/50Hz or 110V/60Hz Power:1.5kW GN PAN:1/2*100mm*2pcs N.W: 9.5Kg G.W: 10.5Kg Dimension: 355*565*240mm Temper Range: 30-110℃ Material: Stainless Steel 201	*Digital Temperature indicator *Temper Range: 50-110℃ *GN PAN+LID and water tap included








Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
21	Bain Marie	BM-4T		Voltage: 220-240V/50Hz or 110V/60Hz Power: 1.5kW GN PAN: 1/2*100mm*4pcs N.W: 17Kg G.W: 18.5Kg Dimension: 685*565*240mm Temper Range: 30-110°C Material: Stainless Steel 201	*Digital Temperature indicator *Temper Range: 50-110°C *GN PAN+LID and water tap included
22	Bain Marie	BM-6T		Voltage: 220-240V/50Hz or 110V/60Hz Power: 1.5kW GN PAN: 1/2*100mm*6pcs N.W: 24Kg G.W: 25.5Kg Dimension: 1030*565*240mm Temper Range: 30-110°C Material: Stainless Steel 201	*Digital Temperature indicator *Temper Range: 50-110°C *GN PAN+LID and water tap included
23	Bain Marie	BM-8T		Voltage: 220-240V/50Hz or 110V/60Hz Power: 2kW GN PAN: 1/2*100mm*8pcs N.W: 31Kg G.W: 33Kg Dimension: 1375*565*240mm Temper Range: 30-110°C Material: Stainless Steel 201	*Digital Temperature indicator *Temper Range: 50-110°C *GN PAN+LID and water tap included
24	Bain-Marie	BM-852		Dimension:780*660*660mm Power:1.5kw Temper Range: 0-85°C With Water-pipe N.W:41kgs G.W:48kgs	*With GN pan 1/1 AND 1/2 GN pan are option *GN PAN QTY: 1/1*2pcs Or 1/2*4pcs *The price would be different between two size of GN PAN *Temper Glasses
25	Bain-Marie	BM-853		Dimension:1130*660*660mm Power:1.5kw Temper Range: 0-85°C With Water-pipe Without GN PAN.and cover N.W:51kgs G.W:59kgs	*With GN pan 1/1 AND 1/2 GN pan are option *GN PAN QTY: 1/1*3pcs Or 1/2*6pcs *The price would be different between two size of GN PAN *Temper Glasses
26	Bain-Marie	BM-854		Dimension:1830*660*660mm Power:1.5kw Temper Range: 0-85°C With Water-pipe Without GN PAN.and cover N.W:61kgs G.W:71kgs	*With GN pan 1/1 AND 1/2 GN pan are option *GN PAN QTY: 1/1*4pcs Or 1/2*8pcs *The price would be different between two size of GN PAN *Temper Glasses
27	Bain-Marie	BM-855		Dimension:1830*660*660mm Power:1.5kw Temper Range: 0-85°C With Water-pipe Without GN PAN.and cover N.W:71kgs G.W:82kgs	*With GN pan 1/1 AND 1/2 GN pan are option *GN PAN QTY: 1/1*5pcs Or 1/2*10pcs *The price would be different between two size of GN PAN *Temper Glasses
28	Bain-Marie	BM-1T		Voltage:230v/50hz Power:1kw Temperature: 30-90C Dimension:325*260*267mm	








Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
29	Bain Marie	BM-M16-2A		2- Pan Counter top Electric Bain Marie 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.3KW 4.GN pans: 2x(1/2x100mm) Dimension/mm: 590x365x230	
30	Bain Marie	BM-M16-2B		2- Pan Counter top Electric Bain Marie 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.3KW 4.GN pans: 2x(1/2x150mm) Dimension/mm: 590x365x280	
31	Bain Marie	BM-M16-2C		2- Pan Counter top Electric Bain Marie 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.3KW 4.GN pans: 2x(1/1x100mm) Dimension/mm: 700x565x230	
32	Bain Marie	BM-M16-2D		2- Pan Counter top Electric Bain Marie 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.3KW 4.GN pans: 2x(1/1x150mm) Dimension/mm: 700x565x280	
33	Bain Marie	BM-M17-3A		3- Pan Counter top Electric Bain Marie 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.3KW 4.GN pans: 3x(1/3x150mm) Dimension/mm: 590x365x280	
34	Bain Marie	BM-M17-3B		3- Pan Counter top Electric Bain Marie 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.3KW 4.GN pans: 3x(1/3x100mm) Dimension/mm: 590x365x230	
35	Bain Marie	BM-M19-6A		6- Pan Counter top Electric Bain Marie 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.3KW 4.GN pans: 6x(1/3x150mm) Dimension/mm: 705x580x280	
36	Bain Marie	BM-M19-6B		6- Pan Counter top Electric Bain Marie 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.3KW 4.GN pans: 6x(1/3x100mm) Dimension/mm: 705x580x230	








Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
37	Bain Marie	BM-M01-3		<p>Electric Bain Marie With glass shelf and cabinet</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Adjustable feet 5. GN pans: 3x(1/1x150mm) <p>Dimension/mm: 1120*670*800+600</p>	
38	Bain Marie	BM-M01-4		<p>Electric Bain Marie With glass shelf and cabinet</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Adjustable feet 5. GN pans: 4x(1/1x150mm) <p>Dimension/mm: 1455*670*800+600</p>	
39	Bain Marie	BM-M01-5		<p>Electric Bain Marie With glass shelf and cabinet</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Adjustable feet 5. GN pans: 5x(1/1x150mm) <p>Dimension/mm: 1790*670*800+600</p>	
40	Bain Marie	BM-M01-6		<p>Electric Bain Marie With glass shelf and cabinet</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 3KW 4. Adjustable feet 5. GN pans: 6x(1/1x150mm) <p>Dimension/mm: 2125*670*800+600</p>	
41	Bain Marie	BM-M02-3		<p>Electric Bain Marie With glass shelf and cabinet</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Adjustable feet 5. GN pans: 3x(1/1x150mm) <p>Dimension/mm: 1120x670x800+600</p>	
42	Bain Marie	BM-M02-4		<p>Electric Bain Marie With glass shelf and cabinet</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Adjustable feet 5. GN pans: 4x(1/1x150mm) <p>Dimension/mm: 1455x670x800+600</p>	
43	Bain Marie	BM-M02-5		<p>Electric Bain Marie With glass shelf and cabinet</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Adjustable feet 5. GN pans: 5x(1/1x150mm) <p>Dimension/mm: 1790x670x800+600</p>	








Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
44	Bain Marie	BM-M02-6		Electric Bain Marie With glass shelf and cabinet 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 3KW 4. Adjustable feet 5.GN pans:6x(1/1x150mm) Dimension/mm: 2125x670x800+600	
45	Bain Marie	BM-M03-3		Electric Bain Marie With cabinet 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Adjustable feet 5.GN pans: 3x(1/1x150mm) Dimension/mm: 1120x670x800	
46	Bain Marie	BM-M03-4		Electric Bain Marie With cabinet 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Adjustable feet 5.GN pans: 4x(1/1x150mm) Dimension/mm: 2455x670x800	
47	Bain Marie	BM-M03-5		Electric Bain Marie With cabinet 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Adjustable feet 5.GN pans:5x(1/1x150mm) Dimension/mm: 1790x670x800	
48	Bain Marie	BM-M03-6		Electric Bain Marie With cabinet 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 3KW 4. Adjustable feet 5.GN pans:6x(1/1x150mm) Dimension/mm: 2125x670x800	
49	Bain Marie	BM-M04-3		Electric Bain Marie With glass shelf and under perforated shelf 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Four casters 100mm dia. with 2 brakes 5.GN pans: 3x(1/1x150mm) Dimension/mm: 1120*670*800+600	
50	Bain Marie	BM-M04-4		Electric Bain Marie With glass shelf and under perforated shelf 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Four casters 100mm dia. with 2 brakes 5.GN pans: 4x(1/1x150mm) Dimension/mm: 1455*670*800+600	







Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
51	Bain Marie	BM-M04-5		<p>Electric Bain Marie With glass shelf and under perforated shelf</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Four casters 100mm dia. with 2 brakest 5.GN pans:5x(1/1x150mm) <p>Dimension/mm: 1790*670*800+600</p>	
52	Bain Marie	BM-M04-6		<p>Electric Bain Marie With glass shelf and under perforated shelf</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 3KW 4. Four casters 100mm dia. with 2 brakes 5.GN pans:6x(1/1x150mm) <p>Dimension/mm: 2125*670*800+600</p>	
53	Bain Marie	BM-M05-3		<p>Electric Bain Marie With under perforated shelf</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Adjustable feet 5.GN pans: 3x(1/1x150mm) <p>Dimension/mm: 1120*670*800</p>	
54	Bain Marie	BM-M05-4		<p>Electric Bain Marie With under perforated shelf</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Adjustable feet 5.GN pans: 4x(1/1x150mm) <p>Dimension/mm: 1455*670*800</p>	
55	Bain Marie	BM-M05-5		<p>Electric Bain Marie With under perforated shelf</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Adjustable feet 5.GN pans: 5x(1/1x150mm) <p>Dimension/mm: 1790*670*800</p>	
56	Bain Marie	BM-M05-6		<p>Electric Bain Marie With under perforated shelf</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 3KW 4. Adjustable feet 5.GN pans:6x(1/1x150mm) <p>Dimension/mm: 2125*670*800</p>	
57	Bain Marie	BM-M06-3		<p>Electric Bain Marie With under perforated shelf</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.8KW 4. Four casters 100mm dia. with 2 brakes 5.GN pans: 3x(1/1x150mm) <p>Dimension/mm: 1100*600*850</p>	








Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
58	Bain Marie	BM-M06-4		Electric Bain Marie With under perforated shelf 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.8KW 4. Four casters 100mm dia. with 2 brakes 5.GN pans: 4x(1/1x150mm) Dimension/mm: 1500*600*850	
59	Bain Marie	BM-M06-5		Electric Bain Marie With under perforated shelf 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.8KW 4. Four casters 100mm dia. with 2 brakes 5.GN pans: 5x(1/1x150mm) Dimension/mm: 1900*600*850	
60	Bain Marie	BM-M06-6		Electric Bain Marie With under perforated shelf 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 3KW 4. Four casters 100mm dia. with 2 brakes 5.GN pans: 6x(1/1x150mm) Dimension/mm: 2200*600*850	
61	Bain Marie	BM-M07		Electric Bain Marie With cabinet and Lamps 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 4KW 4. Adjustable feet 5.GN pans:8x(1/1x150mm) Dimension/mm: 1500x1400x850+700	
62	Bain Marie	BM-M08		Electric Bain Marie With cabinet and Lamps 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 3KW 4. Four casters 100mm dia. with 2 brakes 5.GN pans: 2x(1/1x150mm) + 4x(1/2x150mm) Dimension/mm: 1600*800*850+700	
63	Bain Marie	BM-M09-3		Electric Bain Marie 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Adjustable feet 5.GN pans: 3x(1/1x150mm) Dimension/mm: 1120x670x800	
64	Bain Marie	BM-M09-4		Electric Bain Marie 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Adjustable feet 5.GN pans: 4x(1/1x150mm) Dimension/mm: 1455x670x800	

Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
65	Bain Marie	BM-M09-5		<p>Electric Bain Marie</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Adjustable feet 5. GN pans:5x(1/1x150mm) <p>Dimension/mm: 1790x670x800</p>	
66	Bain Marie	BM-M09-6		<p>Electric Bain Marie</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 3KW 4. Adjustable feet 5. GN pans:6x(1/1x150mm) <p>Dimension/mm: 2125x670x800</p>	
67	Bain Marie	BM-M10		<p>Electric Bain Marie With cabinet and pipe shelf</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Four casters 100mm dia. with 2 brakes 5. With double side pipe shelf 6. GN pans: 2x(1/1x150mm) + 4x(1/2x150mm) <p>Dimension/mm: 1450x1240x870</p>	
68	Bain Marie	BM-M11		<p>Electric Bain Marie With cabinet and pipe shelf</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Four casters 100mm dia. with 2 brakes 5. With double side pipe shelf 6. GN pans: 2x(1/1x150mm) + 2x(1/2x150mm) <p>Dimension/mm: 1100x1240x815</p>	
69	Bain Marie	BM-M12		<p>Electric Bain Marie With cabinet and pipe shelf</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Four casters 100mm dia. with 2 brakes 5. With double side pipe shelf 6. GN pans: 4x(1/1x150mm) + 2x(1/2x150mm) <p>Dimension/mm: 1780x1240x840</p>	
70	Bain Marie	BM-M13		<p>Electric Bain Marie With cabinet and pipe shelf</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Four casters 100mm dia. with 2 brakes 5. With double side pipe shelf 6. GN pans: 4x(1/1x150mm) + 4x(1/2x150mm) <p>Dimension/mm: 2125x1240x815</p>	









Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
71	Bain Marie	BM-M14		<p>Electric Bain Marie With cabinet</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Four casters 100mm dia. with 2 brakes 5.GN pans: 2x(1/1x150mm) + 4x(1/2x150mm) <p>Dimension/mm: 1500x650x870</p>	
72	Bain Marie	BM-M15		<p>Electric Bain Marie With under shelf</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. Four casters 100mm dia. with 2 brakes 5.GN pans: 2x(1/1x150mm) + 4x(1/2x150mm) <p>Dimension/mm: 1500x650x870</p>	
73	Bain Marie	BM-M20-4		<p>Counter top Electric Bain Marie</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.3KW 4.GN pans: 4x(1/2x150mm) <p>Dimension/mm: 1175x460x700</p>	
74	Bain Marie	BM-M20-5		<p>Counter top Electric Bain Marie</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.8KW 4.GN pans: 5x(1/2x150mm) <p>Dimension/mm: 1450x460x700</p>	
75	Bain Marie	BM-M20-6		<p>Counter top Electric Bain Marie</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.8KW 4.GN pans: 6x(1/2x150mm) <p>Dimension/mm: 1725x460x700</p>	
76	Bain Marie	BM-M21-3		<p>Counter top Electric Bain Marie</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.3KW 4.GN pans: 3x(1/1x150mm) <p>Dimension/mm: 1080x660x700</p>	
77	Bain Marie	BM-M21-4		<p>Counter top Electric Bain Marie</p> <ol style="list-style-type: none"> 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.8KW 4.GN pans: 4x(1/1x150mm) <p>Dimension/mm: 1415x660x700</p>	



Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
78	Bain Marie	BM-M21-5		Counter top Electric Bain Marie 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.8KW 4.GN pans: 5x(1/1x150mm) Dimension/mm: 1750x660x700	
79	Bain Marie	BM-M21-6		Counter top Electric Bain Marie 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.8KW 4.GN pans: 6x(1/1x150mm) Dimension/mm: 2085x660x700	
80	Bain Marie	BM-M22		3-Pan Electric Bain Marie 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.8KW 4.GN pans: 3x(1/2x100mm) Dimension/mm: 950x370x375	
81	Bain Marie	BM-M23		4-Pan Electric Bain Marie 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.8KW 4.GN pans: 4x(1/2x100mm) Dimension/mm: 1230x370x375	
82	Bain Marie	BM-M24		5-Pan Electric Bain Marie 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.8KW 4.GN pans: 5x(1/2x100mm) Dimension/mm: 1510x370x375	
83	Bain Marie	BM-M25		Electric Bain Marie with dish warmer and top shelf 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 4KW 4.GN pans: 4x(1/1x150mm) Dimension/mm: 1450*670*800+600	
84	Bain Marie	BM-M26-3		Electric Bain Marie With Cabinet 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.3KW 4. Four casters 100mm dia. with 2 brakes 5.GN pans: 3x(1/1x150mm) Dimension/mm: 1100x650x850	
85	Bain Marie	BM-M26-4		Electric Bain Marie With Cabinet 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.5KW 4. Four casters 100mm dia. with 2 brakes 5.GN pans: 4x(1/1x150mm) Dimension/mm: 1500x650x850	

Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
86	Bain Marie	BM-M26-5		Electric Bain Marie With Cabinet 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.8KW 4. Four casters 100mm dia. with 2 brakes 5. GN pans:5x(1/1x150mm) Dimension/mm: 1900x650x850	
87	Bain Marie	BM-M26-6		Electric Bain Marie With Cabinet 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 3KW 4. Four casters 100mm dia. with 2 brakes 5. GN pans:6x(1/1x150mm) Dimension/mm: 2200x650x850	
88	Bain Marie	BM-M27		4-pan Electric Bain Marie 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.8KW 4. GN pans: 4x(1/1x150mm) Dimension/mm: 1450X670X330+440	
89	Bain Marie	BM-M28		5-pan Electric Bain Marie 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.8KW 4. GN pans: 5x(1/1x150mm) Dimension/mm: 1780X670X330+440	
90	Bain Marie	BM-M29		6-pan Electric Bain Marie 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 1.8KW 4. GN pans: 6x(1/1x150mm) Dimension/mm: 2125X670X330+440	
91	Bain Marie	BM-M30		Electric Bain Marie with with under shelf 1. Overall stainless steel structure 2. Volt: 220V /50Hz 3. Power: 2KW 4. GN pans: 4x(1/1x150mm) Dimension/mm: 1450*670*800+400	
92	Bain Marie	BM-M31-3		Gas Bain Marie with with under shelf 1. Overall stainless steel structure 2. Gas : LPG / NG 3. Power:5.2 KW 4. GN pans:3x(1/1x150mm) Dimension/mm: 1120x670x800	
93	Bain Marie	BM-M31-4		Gas Bain Marie with with under shelf 1. Overall stainless steel structure 2. Gas : LPG / NG 3. Power: 10.4KW 4. GN pans:4x(1/1x150mm) Dimension/mm: 1455x670x800	

Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
94	Bain Marie	BM-M31-5		Gas Bain Marie with with under shelf 1. Overall stainless steel structure 2. Gas : LPG / NG 3. Power: 10.4KW 4.GN pans:5x(1/1x150mm) Dimension/mm: 1790x670x800	
95	Bain Marie	BM-M31-6		Gas Bain Marie with with under shelf 1. Overall stainless steel structure 2. Gas : LPG / NG 3. Power: 10.4KW 4.GN pans:6x(1/1x150mm) Dimension/mm: 2125x670x800	