






















Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
1	Gas Stove With 4-Burner and Electric Oven	MF-987B		Pressure: 2800Pa Gas Type: LPG Power: 54600BTU/Hr Voltage: 220V/50Hz Power: 3.5Kw (Oven) Oven Size: 570*650*300mm Dimension: 800*900*940mm Packing Size: 910*1010*1150mm N.W.: 142KG G.W.: 157KG	<ul style="list-style-type: none"> ● Material: Stainless Steel 201 ● Flame Sense of Security Device ● Certification: CE
2	Gas Stove with 4 Burners and Cabinet	MF-987		Pressure: 2800Pa Gas Type: LPG Power: 54400BTU/Hr Dimension: 800*730*940mm Packing Size: 910*1010*1150mm N.W.: 142KG G.W.: 157KG	<ul style="list-style-type: none"> ● Body Material: stainless steel 201 ● Flame sense of security device ● Certification: CE
3	Gas Griddle With Cabinet	MF-986		Pressure: 2800Pa Gas Type: LPG Power: 32640BTU/Hr Cooking Size: 735*700mm Cooking Plate Thickness: 16mm Dimension: 800*900*940mm Packing Size: 910*1010*1150mm N.W.: 138KG G.W.: 148KG	<ul style="list-style-type: none"> ● 1/3 Groove 2/3 Flat Cooking Plate ● Material: Stainless Steel 201 ● Flame Sense of Security Device ● Explosion-proof Ignited Device ● Certification: CE
4	Gas Fry top With Cabinet	MF-986C		Pressure: 2800Pa Gas type: LPG Power: 32640BTU/Hr Cooking Size: 625*500mm Cooking Plate Thickness: 16mm Dimension: 800*900*940mm Packing Size: 910*1010*1150mm N.W.: 138KG G.W.: 153KG	<ul style="list-style-type: none"> ● 1/3 Groove 2/3 Flat Cooking Plate ● Material: Stainless Steel 201 ● Flame Sense of Security Device ● Explosion-proof Ignited Device ● Certification: CE
5	Gas Bain Marie With Cabinet	MF-784		Pressure: 2800Pa Gas type: LPG Power: 15300BTU/Hr Pan size: 325*265*150mm x4pcs Dimension: 800*730*940mm Packing size: 910*840*1150mm N.W.: 53KG G.W.: 73KG	<ul style="list-style-type: none"> ● Material: stainless steel ● Flame sense of security device ● Explosion-proof ignited device ● Imported temperature controller
6	Gas Fryer with Cabinet	MF-785		Pressure: 2800Pa Gas type: LPG Power: 108000BTU/Hr Capacity: 28Lx2 Basket size: 280*300*140mm x2 Oil tank size: 300*570*300mm x2 Dimension: 800*730*940mm Packing size: 880*830*1090mm N.W.: 81KG G.W.: 96KG	<ul style="list-style-type: none"> ● 2-Tank 2-Basket ● Material: stainless steel ● Flame sense of security device. ● Explosion-proof ignited device. ● Imported temperature controller from Italy
7	Gas Griddle with Cabinet	MF-786		Pressure: 2800Pa Gas type: LPG Power: 32600BTU/Hr Cooking plate size: 735*535*16mm Dimension: 800*730*940mm Packing size: 910*840*1150mm N.W.: 79KG G.W.: 95KG	<ul style="list-style-type: none"> ● Plate pattern: 1/3 grooved 2/3 flat ● Material: stainless steel ● Certification: CE









Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
8	Gas Range with 4-Burner and Gas Oven	MF-787A		Pressure: 2800Pa Gas type: LPG Power: 69000BTU/Hr Grate size: 395*265mm Oven size: 575*645*300mm Dimension: 800*730*940mm Packing size: 910*840*1150mm N.W.: 93KG G.W.: 108KG	<ul style="list-style-type: none"> ● Material: stainless steel 201 ● Flame sense of security device ● Explosion-proof ignited device ● Imported temperature controller ● Certification: CE
9	Gas Stove with 4 Burners with Cabinet	MF-787		Pressure: 2800Pa Gas type: LPG Power: 54400BTU/Hr No. of burners: 4 Dimension: 800*730*940mm Packing size: 910*840*1150mm N.W.: 93KG G.W.: 108KG	<ul style="list-style-type: none"> ● Material: stainless steel ● Flame sense of security device ● Certification: CE
10	Gas Stove With 4-Burner and Electric Oven	MF-787B		Pressure: 2800Pa Gas Type: LPG Power: 54600BTU/Hr Voltage: 220V/50Hz Power: 3.5Kw (Oven) Oven Size: 570*650*300mm Dimension: 800*730*940mm Packing Size: 910*840*1150mm N.W.: 142KG G.W.: 157KG	<ul style="list-style-type: none"> ● Material: stainless steel 201 ● Flame sense of security device ● Certification: CE
11	Gas Pasta Cooker with Cabinet	MF-788		Pressure: 2800Pa Gas type: LPG Power: 42160BTU/Hr No. of basket: 12 Dimension: 800*730*940mm Packing size: 910*840*1150mm N.W.: 60KG G.W.: 75KG	<ul style="list-style-type: none"> ● Body material: stainless steel 201 ● Flame sense of security device. ● Explosion-proof ignited device.
12	Gas Lava Rock Gas Grill with Cabinet	MF-789		Pressure: 2800Pa Gas type: LPG Power: 42160BTU/Hr Dimension: 800*730*940mm Packing size: 910*840*1150mm N.W.: 98KG G.W.: 113KG	<ul style="list-style-type: none"> ● Body material: stainless steel 201 ● Flame sense of security device ● Explosion-proof ignited device
13	Gas Range With 6-Burner and Cabinet	MF-997		Pressure: 2800Pa Gas Type: LPG Power: 122000BTU/Hr No. of burners: 6 Dimension: 1200*900*940mm Packing Size: 1280*980*1150mm N.W.: 200KG G.W.: 220KG	<ul style="list-style-type: none"> ● Body material: stainless steel 201 ● Flame sense of security device ● Explosion-proof ignited device ● Certification: CE
14	Stainless Steel Gas Range With 6-Burner and Gas Oven	MF-997A		Pressure: 2800Pa Gas Type :LPG Power: 122000+20000BTU/Hr Oven Size: 575*650*300mm Dimension:1200*900*940mm Packing Size: 1280*980*1150mm N.W.: 200KG G.W.: 220KG	<ul style="list-style-type: none"> ● Body material: stainless steel 201 ● Flame sense of security device ● Explosion-proof ignited device ● Certification: CE









Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
15	Gas Range With 4-Burner and Griddle and nether Oven	MF-996A		Pressure: 2800Pa Gas Type: LPG Power: 81600BTU/Hr No. of burners: 4 Griddle size:352*600mm(thickness:16mm) Oven size:575*650*300mm Dimension: 1200*900*940mm Packing Size: 1280*980*1150mm N.W.: 200KG G.W.: 220KG	<ul style="list-style-type: none"> ● Body material: stainless steel 201 ● Flame sense of security device ● Explosion-proof ignited device
16	Gas Range With 6-Burner and Gas Oven	MF-797A		Pressure: 2800Pa Gas type: LPG Power: 106000BTU/Hr No. of burner: 6 Oven size: 575*650*300mm Dimension: 1200*730*940mm Packing size: 1280*830*1150mm N.W.:175KG G.W.: 185KG	<ul style="list-style-type: none"> ● Body material: stainless steel 201 ● Flame sense of security device ● Explosion-proof ignited device
17	Gas Range With 4-Burner and Griddle and nether Oven	MF-796A		Pressure: 2800Pa Gas type: LPG Power: 42160BTU/Hr No. of burner: 6 Dimension: 1200*730*940mm Packing size: 1280*830*1150mm N.W.: 205KG G.W.: 225KG	<ul style="list-style-type: none"> ● Body material: stainless steel 201 ● Flame sense of security device ● Explosion-proof ignited device ● Certification: CE
18	Gas Range With 4-Burner and Lava Rock Grill and nether Oven	MF-799A		Pressure: 2800Pa Gas type: LPG Power: 91800 BTU/Hr Oven size: 575*645*300mm Dimension:1200*730*940mm N.W.: 205KG G.W.: 255KG	<ul style="list-style-type: none"> ● Material: stainless steel ● Flame sense of security device ● Explosion-proof ignited device
19	Stainless Steel Worktable	MF-900B		Dimension: 400*900*940mm Packing size: 460*960*1150mm N.W.: 50KG G.W.: 56KG	<ul style="list-style-type: none"> ● Material: stainless steel 201
20	Gas Bain Marie With Cabinet	MF-975		Dimension: 400*900*940mm 68000BTU/Hr Used Gas :LPG Max oil capacity : 28Liters Basket :34*27*14cm	*: Flame sense of security device. *: Explosion-proof ignited device. *: Imported temperature controller from Italy. *With Temper limiter *Oil Tank material SUS304 *Body Material:201+430 SUS
21	Gas Griddle With Cabinet	MF-976		Pressure: 2800Pa Gas type: LPG Power: 16320BTU/Hr Cooking plate size: 644*337mm Plate thickness: 16mm Dimension: 400*900*940mm Packing size: 480*980*1150mm N.W.: 63KG G.W.: 75KG	<ul style="list-style-type: none"> ● Body material: stainless steel 201 ● Flame sense of security device ● Explosion-proof ignited device








Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
22	Gas Range With 2-Burner and Cabinet	MF-977		Pressure: 2800Pa Gas type: LPG Power: 41000BTU/Hr Dimension: 400*900*940mm Packing size: 480*980*1150mm N.W.: 45KG G.W.: 57KG	<ul style="list-style-type: none"> ● Body material: stainless steel 201 ● Flame sense of security device ● Explosion-proof ignited device
23	Gas Pasta Cooker With Cabinet	MF-978		Pressure: 2800Pa Gas type: LPG Power: 24000BTU/Hr No. of basket: 3 Dimension: 400*900*940mm Packing size: 480*980*1150mm N.W.: 48KG G.W.: 60KG	<ul style="list-style-type: none"> ● Body material: stainless steel 201 ● Flame sense of security device ● Explosion-proof ignited device
24	Gas Pasta Cooker With Cabinet	MF-978C		Pressure: 2800Pa Gas type: LPG Power: 24000BTU/Hr No. of basket: 3 Dimension: 400*900*940mm Packing size: 480*980*1150mm N.W.: 48KG G.W.: 60KG	<ul style="list-style-type: none"> ● Body material: stainless steel 201 ● Flame sense of security device ● Explosion-proof ignited device
25	Stainless Steel Gas Grill With Cabinet(CE certificate)	GB-979		Dimension: 400*900*940mm 27000BTU/Hr Used Gas :LPG	Flame sense of security device.
26	Counter Top Gas Range (4-Burners) and Griddle	MF-996-1		Pressure: 2800Pa Gas Type: LPG Power: 81600BTU/Hr Cooking size of griddle: 352*600*16mm Dimension: 1200*730*460mm Packing Size: 1280*980*630mm N.W.: 99KG G.W.: 115KG	<ul style="list-style-type: none"> ● Body material: stainless steel 201 ● Flame out protection function ● 2 gas controller with piezo ignitor ● 2 burners with Piezoelectric ignition ● Certification: CE
27	Counter Top Gas Range with 6-Burner	MF-997-1		Pressure: 2800Pa Gas Type: LPG Power: 122000BTU/Hr No. of burners: 6 Dimension: 1200*900*460mm Packing Size: 1280*980*630mm N.W.: 95KG G.W.: 112KG	<ul style="list-style-type: none"> ● Body material: stainless steel 201 ● Flame out protection function ● Certification: CE
28	Gas Range (4-Burners) and Lava Grill	MF-999-1		Pressure: 2800Pa Gas Type: LPG Power: 81600BTU/Hr No. of burners: 4 Dimension: 1200*900*460mm Packing Size: 1280*980*630mm N.W.: 99KG G.W.: 115KG	<ul style="list-style-type: none"> ● Body material: stainless steel 201 ● Flame out protection function
29	Counter Top Gas Griddle	MF-986-1		Pressure: 2800Pa Gas type: LPG Power: 42160BTU/Hr Cooking plate size: 625*500mm Plate thickness: 16mm Dimension: 800*900*460mm Packing size: 880*980*630mm N.W.: 66KG G.W.: 76KG	<ul style="list-style-type: none"> ● 1/3 groove 2/3 flat cooking plate ● Body material: stainless steel 201 ● Flameout protection function ● 2 gas controller with piezo ignitor ● Adjustable feet ● Certification: CE








Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
30	Counter Top Gas Range with 4-Burner	MF-987-1		Pressure: 2800Pa Gas type: LPG No. of burners: 4 Dimension: 800*900*460mm Packing size: 880*980*630mm N.W.: 66KG G.W.: 76KG	<ul style="list-style-type: none"> ● Body material: stainless steel 201 ● Flame out protection function ● Certification: CE
31	Counter Top Gas Lava Rock Grill	MF-989-1		Pressure: 2800Pa Gas Type: LPG Power: 42160BTU/Hr Cooking size: 680*580mm Dimension: 800*900*460mm Packing Size: 910*1010*670mm N.W.: 66KG G.W.: 78KG	<ul style="list-style-type: none"> ● Body material: stainless steel 201 ● Flame out protection function ● 2 gas controller with piezo ignitor ● 2 burners with Piezoelectric ignition ● Certification: CE
32	Counter Top Gas Griddle	MF-786-1		Pressure: 2800Pa Gas type: LPG Power: 42160BTU/Hr Dimension: 800*730*460mm Packing size: 780*830*580mm N.W.: 85KG G.W.: 95KG	<ul style="list-style-type: none"> ● 1/3 Groove 2/3 flat chrome plate ● Material: stainless steel body ● Flame out protection function ● Certification: CE
33	Counter Top Gas Range with 4-Burner	MF-787-1		Pressure: 2800Pa Gas type: LPG Power: 42160BTU/Hr Dimension: 800*730*460mm Packing size: 780*830*580mm N.W.: 55KG G.W.: 65KG	<ul style="list-style-type: none"> ● Material: stainless steel ● Certification: CE
34	Counter Top Gas Lava Rock Grill	GB-789-1		Dimension:800*730*460mm 42160BTU/Hr Used Gas :LPG	800*730*460
35	Counter Top Gas Range with 6-Burner	MF-797-1		Pressure: 2800Pa Gas type: LPG Power: 81600BTU/Hr Dimension: 1200*730*460mm Packing size: 1100*830*580mm N.W.: 80KG G.W.: 90KG	<ul style="list-style-type: none"> ● Material: stainless steel ● Flame out protective device ● Certification: CE
36	Counter Top Gas Range with 6-Burner	MF-796-1		Pressure: 2800Pa Gas type: LPG Power: 81600BTU/Hr Dimension: 1200*730*460mm Packing size: 1100*830*580mm N.W.: 80KG G.W.: 90KG	<ul style="list-style-type: none"> ● Material: stainless steel ● Flame out protective device
37	Gas Range with 4-Burner and Lava Grill	MF-799-1		Pressure: 2800Pa Gas type: LPG Power: 81600BTU/Hr Dimension: 1200*730*460mm Packing size: 1100*830*580mm N.W.: 80KG G.W.: 90KG	<ul style="list-style-type: none"> ● Material: stainless steel 201 ● Flame out protective device









Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
38	Electric Bain Marie With Cabinet	MF-884		Voltage: 3N-380V Power: 6Kw Pans: 2x1/2GN*15cm+2x1/3GN*15cm Dimension: 800*900*940mm Packing Size: 900*1060*1090mm N.W.: 69KG G.W.: 84KG Temperature Range: 30~110℃	<ul style="list-style-type: none"> Material: stainless steel 201
39	Electric Fryer with Cabinet	MF-885		Voltage: 3N-380V Power: 18Kw Capacity: 28Lx2 Dimension: 800*900*940mm Packing Size: 900*1060*1090mm N.W.: 72KG G.W.: 87KG Temperature Range: 50~195℃	<ul style="list-style-type: none"> Material: stainless steel 201 2-tank 2-basket
40	Electric Griddle with Electric Oven	MF-886		Power:15kw 3N-380V Dimension:800*900*940mm	Temper range 50-300℃
41	Electric Pasta Cooker With Cabinet	MF-888		Voltage: 3N-380V Power: 18Kw Dimension: 800*900*940mm Packing Size: 900*1060*1090mm N.W.: 76KG G.W.: 91KG Temperature Range: 30~110℃	<ul style="list-style-type: none"> Material: stainless steel 201
42	Electric Lava Rock Grill With Cabinet	MF-889		Voltage: 3N-380V Power: 12Kw Dimension:800*900*940mm Packing Size: 900*1060*1090mm N.W.: 115KG G.W.: 130KG Temperature Range: 50~300℃	<ul style="list-style-type: none"> Body material: stainless steel 201
43	Electric Range With 4-Burner and Cabinet	MF-887		Voltage: 3N-380V Power: 16Kw No. of hot plate: 4 Burner size: 30*30cm Dimension: 800*900*940mm Packing Size: 900*1060*1090mm N.W.: 116KG G.W.: 130KG	<ul style="list-style-type: none"> Body material: stainless steel 201 Certification: CE
44	Electric Range With 4-Burner and Electric Oven	MF-887A		Voltage: 3N-380V Power of hot plate: 4Kw x4 Power of the oven: 3.5 KW(2 heaters up and 3 heaters bottom) No. of hot plate: 4 Hot plate size: 30*30cm Dimension: 800*900*940mm Packing Size: 900*1060*1090mm N.W.: 116KG G.W.: 130KG	<ul style="list-style-type: none"> Stainless steel body with 1.2~1.5mm thick Heating Control through 3-setting selector switch Power on indicator light on control panel Temperature up to 300 degree for burners and oven Certification: CE









Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
45	Electric Range With 4-Burner and Electric Oven	MF-887B		<p>Voltage: 3N~380V Power of hot plate: 10.4Kw Power of the oven: 3.5 KW(2 heaters up and 3 heaters bottom) No. of hot plate: 4 Hot plate size: Φ23cm Dimension: 800*900*940mm Packing Size: 900*1060*1090mm N.W.: 102KG G.W.: 118KG</p>	<ul style="list-style-type: none"> ● Round hot plates ● Body material: stainless steel 201 ● Certification: CE
46	Electric Range With 4-Burner and Cabinet	MF-887C		<p>Voltage: 3N~380V Power:10.4Kw No. of hot plate: 4 Hot plate size: Φ23cm Dimension: 800*900*940mm Packing Size: 900*1060*1090mm N.W.: 100KG G.W.:116KG</p>	<ul style="list-style-type: none"> ● Round hot plates ● Body material: stainless steel 201 ● Certification: CE
47	Electric Range with 6 Hot Plate and Electric Oven	MF-897A		<p>Voltage: 3N~380V Power: 27.5kw (hot plate: 4Kwx6,oven: 3.5KW) No. of hot plate: 6 Hot plate size: 30*30cm Dimension:1200*900*940mm Packing size: 1300*1060*1090mm N.W.: 140KG G.W.: 160KG</p>	<ul style="list-style-type: none"> ● Body material: stainless steel 201 ● 3 power selections for the hot plate ● Certification: CE
48	Electric Griddle with Electric Oven	MF-886		<p>Power:15kw 3N-380V Dimension:800*900*940mm</p>	<p>Temper range 50-300℃</p>
49	Electric Griddle with Electric Oven	MF-886A		<p>Voltage: 3N~380V Power: 11.6kw (griddle:8.1Kw,oven: 3.5Kw) Cooking plate size: 625*500mm Plate thickness: 16mm Dimension: 800*900*940mm Packing size: 900*1060*1090mm N.W.: 128KG G.W.: 150KG Temperature range: 50~300℃</p>	<ul style="list-style-type: none"> ● 1/3 grooved 2/3 flat cooking plate ● Body material: stainless steel 201
50	Electric Griddle With Cabinet	MF-886C		<p>Voltage: 3N~380V Power: 8.1kw Cooking plate size: 625*500mm Plate thickness: 16mm Dimension: 800*900*940mm Packing size: 900*1060*1090mm N.W.: 115KG G.W.: 135KG Temperature range: 50~300℃</p>	<ul style="list-style-type: none"> ● 1/3 groove 2/3 flat cooking plate ● Body material: stainless steel 201
51	Electric Griddle with Cabinet	MF-886D		<p>Voltage: 3N~380V Power: 8.1kw Cooking plate size: 625*500mm Plate thickness: 16mm Dimension: 800*900*940mm Packing size: 900*1060*1090mm N.W.: 115KG G.W.: 135KG Temperature range: 50~300℃</p>	<ul style="list-style-type: none"> ● Full flat cooking plate ● Body material: stainless steel 201









Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
52	Electric Pasta Cooker with Cabinet	MF-888C		Voltage: 3N-380V Power: 18Kw No. of basket: 6 Dimension: 800*900*940mm Packing Size: 900*1060*1090mm N.W.: 82KG G.W.: 100KG Temperature Range: 30-110℃	<ul style="list-style-type: none"> Material: stainless steel 201
53	Electric tilting braising pan	MF-880		Voltage: 3N-380V Power: 10.2Kw Capacity: 80L Dimension: 800*900*940mm Packing size: 900*1150*1090mm N.W.: 140KG G.W.: 160KG Temperature range: 50-300℃	<ul style="list-style-type: none"> Body material: stainless steel 201 With 350℃ temperature limiter Certification: CE
54	Electric Soup Kettle/Electric Deep Indirect Heating Boiling Pan	MF-881		Voltage: 380V/50Hz Power: 18Kw Capacity: 140L Tank size: φ600*540mm(full 150L) Dimension: 800*900*940mm Packing size: 900*1150*1120mm N.W.: 140KG G.W.: 160KG	<ul style="list-style-type: none"> Stainless steel body with safety drain cock Double Jacket pan (bain-marie system) Filling cock and control cock for the level of the double jacket pan (bain-marie) Over-pressure safety valve Counterweighted hinged lid Water shortage protection
55	Electric Tilting Braising Pan	MF-780		Voltage: 3N-380V Power: 9Kw Capacity: 60L Dimension: 800*730*940mm Packing size: 880*850*1100mm N.W.: 120KG G.W.: 135KG Temperature range: 50-300℃	<ul style="list-style-type: none"> Material: stainless steel With 350℃ temperature limiter
56	Electric Soup Kettle/Electric Deep Indirect Heating Boiling Pan	MF-781		Voltage: 3N-380V Power: 12Kw Capacity: 60L Tank size: φ430*510mm Dimension: 800*730*940mm Packing size: 880*850*1080mm N.W.: 120KG G.W.: 140KG Temperature range: 50-300℃	<ul style="list-style-type: none"> Stainless steel body with safety drain cock Double Jacket pan (bain-marie system) Filling cock and control cock for the level of the double jacket pan (bain-marie) Over-pressure safety valve Counterweighted hinged lid
57	Electric Bain Marie With Cabinet	MF-874Z		Voltage: 3N-380V Power: 3Kw Pans: 2x1/2GN*15cm Dimension: 400*900*940mm Packing size: 460*980*1150mm N.W.: 48KG G.W.: 55KG Temperature range: 30-110℃	<ul style="list-style-type: none"> Body material: stainless steel 201 Adjusted feet
58	Electric Fryer With Cabinet	MF-875		Voltage: 3N-380V Power: 9Kw Capacity: 28L Dimension: 400*900*940mm Packing size: 480*980*1150mm N.W.: 452KG G.W.: 58KG Temperature range: 50-190℃	<ul style="list-style-type: none"> 1-tank 1-basket Body material: stainless steel 201 One-time forming of the the top plate and no welding,easy cleaning Adjustable feet
59	Electric Griddle With Cabinet	MF-876Z		Voltage: 3N-380V Power: 4.1Kw Cooking plate size: 34*70cm Plate thickness: 16mm Dimension: 400*900*940mm Packing size: 480*980*1150mm N.W.: 58KG G.W.: 65KG Temperature range: 50-190℃	<ul style="list-style-type: none"> Full flat cooking plate Body material: stainless steel 201









Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
60	Electric Range with 2 Hot Plate and cabinet	MF-877		Voltage: 3N~380V Power: 2Kw x4 No. of hot plate: 2 Hot plate size: 30*30cm/each Dimension:400*900*940mm Packing size: 480*980*1070mm N.W.: 63KG G.W.: 70KG	<ul style="list-style-type: none"> ● Body material: stainless steel 201 ● Adjustable feet
61	Electric Range with 2 Hot Plate and Cabinet	MF-877B		Voltage: 3N~380V Power: 2.6Kw x2 No. of hot plate: 2 Hot plate size: Φ23cm each Dimension:400*900*940mm Packing size: 480*980*1070mm N.W.: 63KG G.W.: 70KG	<ul style="list-style-type: none"> ● Round hot plate ● Body material: stainless steel 201 ● 3 power selections for the hot plate.
62	Electric Pasta Cooker With Cabinet	MF-878		Voltage:3N~380V Power: 9Kw No. of basket: 3 Dimension:400*900*940mm Packing size: 480*980*1150mm N.W.: 48KG G.W.: 55KG Temperature range: 30~110℃	<ul style="list-style-type: none"> ● Body material: stainless steel 201 ● Adjustable feet
63	Electric Pasta Cooker With Cabinet	MF-878C		Voltage:3N~380V Power: 9Kw No. of basket: 3 Dimension:400*900*940mm Packing size: 480*980*1150mm N.W.: 48KG G.W.: 55KG Temperature range: 30~110℃	<ul style="list-style-type: none"> ● Body material: stainless steel 201 ● Adjustable feet
64	Electric Lava Rock Grill With Cabinet	MF-879		Voltage: 3N~380V Power: 5.4Kw Dimension: 400*900*940mm Packing size: 480*980*1150mm N.W.: 77KG G.W.: 82KG Temperature range: 50~300℃	<ul style="list-style-type: none"> ● Body material: stainless steel 201
65	Counter Top Gas Bain Marie with 2 Pans	MF-534		Pressure: 2800Pa Gas type: LPG Power: 13600Btu/Hr Pans: 1x1/2GN + 1x1/3GN Dimension: 400*650*480mm Packing size: 480*700*580mm N.W.: 20KG G.W.: 23KG	<ul style="list-style-type: none"> ● One gas control valve with button igniter ● With flame out protective safety device
66	Counter Top Gas Fryer	MF-535		Pressure: 2800Pa Gas type: LPG Power: 19000BTU/Hr Capacity:9-13L/tank(min-max capacity) Oil tank size: 244*380*176mm Dimension: 400*650*480mm Packing size: 480*700*580mm N.W.: 17.5KG G.W.: 23KG	<ul style="list-style-type: none"> ● S/S 304 material oil tank ● Certification: CE
67	Gas griddle(CE certificate)	MF-536		Pressure: 2800Pa Gas type: LPG Power: 19000BTU/Hr Dimension: 400*650*480mm Packing size: 480*700*580mm N.W.: 30KG G.W.: 35KG	<ul style="list-style-type: none"> ● Flame sense of security device ● Explosion-proof ignited device ● Certification: CE





Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
68	Counter Top Gas Stove with 2 Burners	MF-537		Pressure: 2800Pa Gas type: LPG Power: 27200BTU/Hr No. of burners: 2 Dimension: 400*650*480mm Packing size: 480*700*580mm N.W.: 31KG G.W.: 36KG	<ul style="list-style-type: none"> With flame out protective safety device CE certificate
69	Counter Top Gas Pasta Cooker with 6 Baskets	MF-538		Pressure: 2800Pa Gas type: LPG Power: 19000BTU/Hr No. of baskets: 6 Dimension: 400*650*480mm Packing size: 480*700*580mm N.W.: 17.5KG G.W.: 22KG	<ul style="list-style-type: none"> One stretch forming tank with cambers Material: brushed 304/201 stainless steel With security gas valve With pulse ignition device With flame failure device Certification: CE
70	Counter Top Gas Lava Rock Grill	MF-539		Pressure: 2800Pa Gas type: LPG Power: 17000BTU/Hr Dimension: 400*650*480mm Packing size: 480*700*580mm N.W.: 35KG G.W.: 39KG	<ul style="list-style-type: none"> High power output and quick heating Cast iron grill ensures high efficiency Material: brushed 304 stainless steel Stretch forming worktop with curved design Certification: CE
71	Counter Top Gas Fryer	MF-565		Pressure: 2800Pa Gas type: LPG Power: 41000BTU/Hr Capacity: 9~12Lx2 (min-max capacity) Dimension: 600*650*480mm Packing size: 660*700*580mm N.W.: 25KG G.W.: 29KG	<ul style="list-style-type: none"> 2-tank 2-basket Seamless oil tank SIT Valve Temperature Controller with over temperature control Flame sense of security device. Explosion-proof ignited device. Imported temperature controller from Italy Certification: CE
72	Counter Top Gas Fryer	MF-545		Pressure: 2800Pa Gas type: LPG Power: 20500BTU/Hr Capacity: 9~12L (min-max capacity) Dimension: 400*650*480mm Packing size: 480*730*580mm N.W.: 18KG G.W.: 22KG	<ul style="list-style-type: none"> 1-tank 1-basket Seamless oil tank SIT Valve Temperature Controller with over temperature control Flame sense of security device. Explosion-proof ignited device. Imported temperature controller from Italy Certification: CE
73	Counter Top Electric Hot Plate	MF-637		Voltage: 220V/50Hz Power: 4.6Kw No. of hot plate: 2 Dimension: 400*650*480mm Packing size: 460*710*600mm N.W.: 13KG G.W.: 18KG	<ul style="list-style-type: none"> Body material: stainless steel 201 Low, middle and high range control switch
74	Counter Top Electric Fryer	MF-635		Voltage: 220V/50Hz Power: 3.8Kw Capacity: 15L Tank size: 265*325*200mm Dimension: 400*650*480mm Packing size: 500*710*600mm N.W.: 13KG G.W.: 15KG Temperature range : 50-190C °C	<ul style="list-style-type: none"> 1-tank 1-basket Material: stainless steel Flame out protective safety device
75	Counter Top Electric Bain Marie	EH-634		Dimension: 400*650*480mm Voltage: 220v/50hz Power: 1.5Kw	2pcs 1/2GN pan and 2pcs 1/3GN pan with deep 1500mm. temperature controller from 30 to 110 degree.







Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
76	Counter Top Electric Griddle	MF-636		Voltage: 220V/50Hz Power: 3.9Kw Plate thickness: 16mm Dimension: 400*650*480mm Packing size: 480*740*620mm N.W.: 36KG G.W.: 41KG Temperature Range: 50~300℃	<ul style="list-style-type: none"> Material: stainless steel Full flat cooking plate
77	Counter Top Electric Pasta Cooker	MF-638		Voltage: 220V/50Hz Power: 4.5Kw No. of basket: 6 Dimension: 400*650*480mm Packing size: 480*740*560mm N.W.: 14KG G.W.: 19KG Temperature Range: 30~110℃	<ul style="list-style-type: none"> One stretch forming tank with cambers Brushed 304/201 stainless steel Protection Against Water Shortage Prevent the hot plates from dry heating
78	Counter Top Electric Lava Rock Grill	MF-639		Voltage: 220V/50Hz Power: 3.9Kw Dimension: 400*650*480mm Packing size: 460*710*600mm N.W.: 25KG G.W.: 32KG Temperature Range: 50~300℃	<ul style="list-style-type: none"> Material: stainless steel
79	Counter Top Electric Bain Marie	MF-684		Voltage: 220V/50Hz Power: 1.5Kw Pans: 2x1/2GN*15cm+2x1/3GN*15cm Dimension: 600*650*480mm Packing size: 700*710*600mm N.W.: 18KG G.W.:28KG	<ul style="list-style-type: none"> Material: stainless steel
80	Counter Top Electric Fryer	MF-685		Voltage:220V/50Hz Power: 2.8Kw+2.8Kw Capacity: 10-14L/tank (min/max oil capacity) Oil tank: 265*325*200mm x2pcs Dimension:600*650*480mm Packing size: 700*710*600mm N.W.: 18KG G.W.: 28KG Temperature range: 50~190℃	<ul style="list-style-type: none"> 2-tank 2-basket Flame-out protective device
81	Counter Top Electric Griddle	MF-686		Voltage: 220V/50Hz Power: 5.4Kw Cooking plate: 600*500mm Plate thickness: 16mm Dimension: 600*650*480mm Packing size: 700*710*600mm N.W.: 50KG G.W.: 55KG Temperature range: 50~300℃	<ul style="list-style-type: none"> Full flat cooking plate Material: stainless steel 201 Flame out protection device
82	Counter Top Electric Hot Plate	MF-687		Voltage: 220V/50Hz Power: 8Kw (4x2Kw) Hot plate diameter: 20cm x4pcs Dimension: 600*650*480mm Packing size: 700*710*600mm N.W.: 19KG G.W.:27KG	<ul style="list-style-type: none"> Material: stainless steel 4 switches control the power (3 selection each)
83	Counter Top Electric Noodle Cooker	MF-688		Voltage: 220V/50Hz Power: 6Kw (3x2Kw) No. of basket: 6 Dimension: 600*650*480mm Packing size: 700*710*600mm N.W.: 20KG G.W.: 28KG Temperature range: 30~110℃	<ul style="list-style-type: none"> Material: stainless steel 201 body


Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
84	Gas Cooker With Gas Oven	LGR-74V		Pressure: 2800Pa Gas Type: LPG Power: 27Kw Burner : 4pcs Dimension: 700*700*(850+70)mm N.W.:110KG G.W.: 125KG	
85	Gas Cooker With Electric Oven	LGR-74EV		Pressure: 2800Pa Gas Type: LPG Voltage: 230V Power: 22Kw+5Kw Burner : 4pcs Dimension: 700*700*(850+70)mm N.W.:110KG G.W.: 125KG	
86	Gas Cooker With Cabinet	LGR-74C		Pressure: 2800Pa Gas Type: LPG Power: 2x4.5+2x7.5 Burner : 4pcs Dimension: 700*700*(850+70)mm N.W.:110KG G.W.: 125KG	
87	Gas Cooker With Gas Oven	LGR-76V		Pressure: 2800Pa Gas Type: LPG Power: 38Kw Burner : 6pcs Dimension: 1050*700*(850+70)mm N.W.:145KG G.W.: 165KG	









Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
88	Gas Cooker With Electric Oven	LGR-76EV		Pressure: 2800Pa Gas Type: LPG Voltage: 230V Power: 22Kw+5Kw Burner : 4pcs Dimension: 700*700*(850+70)mm N.W.:110KG G.W.: 125KG	
89	Gas Lava Rock Grill With Cabinet	LGCB-7C		Pressure: 2800Pa Gas Type: LPG Power:12Kw Dimension: 700*700*(850+70)mm N.W.:85KG G.W.: 100KG	
90	Gas Lava Rock Grill With Cabinet	LGCB-9C		Pressure: 2800Pa Gas Type: LPG Power:13Kw Dimension: 800*700*(850+70)mm N.W.:110KG G.W.: 128KG	
91	Gas Burner with Oven	MR24GB		With Gas Oven Dimension/mm:609*797*1530 LPG Power:44.8 Natural Gas 39.8kW	Plywood Package 4-burner,Natural gas/ LPG Gas Alpha Brass valve for both top burner and oven, SS430 front panel and back splash plate, galvanized side and back, 5" regulator with LP conversion kits.
92	Gas Grill with Oven	MR24-24GG		RANGE, 24"w /24" Griddle top Manual control, 1-static oven Dimension/mm:609*797*1530 LPG Power:27.2kW Natural Gas 24kW Griddle Hotplate/mm:605*526	Plywood Package Natural gas. Alpha Brass valve for both top burner and oven, SS430 front panel and back splash plate, galvanized side and back, 5" regulator with LP conversion kits.
93	Gas BBQ Grill with Oven	MR24-24GL		RANGE, 24"w /24" Charbroiler top, Manual control, 1-static oven Dimension/mm:609*797*1530 LPG Power:30.2kW/Full Machine Natural Gas:28.7kW/Full Machine	Plywood Package Oven Temperature : 100°C-260°C Cooking Plate size:609*517mm U shape Burner Power:10.3kW/each




Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
94	Gas Grill with Oven	MR24-12GG-2B		RANGE, 24"w /12" Griddle +2 burner top, Manual control, 1-static oven Dimension/mm:609*797*1530 LPG Power:30.2kW/Full Machine Natural Gas:28.7kW/Full Machine	Plywood Package Half Grill +Two Gas Burner Oven Temperature : 100°C-260°C U shape Burner Power:8.8kW/each Hotplate/mm:300*526
95	Gas BBQ Grill with Oven	MR24-12GL-2B		RANGE, 24"w /12" Charbroiler+2 burner top, Manual control, 1-static oven Dimension/mm:609*797*1530 LPG Power:37.5kW/Full Machine Natural Gas:34.3kW/Full Machine	Plywood Package Half Lave Rock Grill +Two Gas Burner Oven Temperature : 100°C-260°C Cooking Plate size:609*517mm U shape Burner Power:10.3kW/each
96	Gas Burner with Oven	MR-GB36		Range, 36" Dimension/mm:914*797*1530 LPG Power:62.4kW/Full Machine Natural Gas:55.7kW/Full Machine Each Burner size:30cm Each burner Natural Gas Power:8.8kW Each burner LPG Gas Power:7.9kW	Plywood Package 6-burner,Natural gas. Alpha Brass valve for both top burner and oven, SS430 front panel and back splash plate, galvanized side and back, 5" regulator with LP conversion kits. Oven Temperature : 100°C-260°C
97	Gas Grill with Oven	MR-GG36M		RANGE, 36" w/36" Griddle top, Manual control, 1-static oven Dimension/mm:914*797*1530 LPG Power:36kW/Full Machine Natural Gas:31.9kW/Full Machine U shape Burner Power:8.8kW/each Oven Temperature : 100°C-260°C	*Plywood Package *manual control, Natural gas. *Alpha Brass gas valve, SS430 cabinet, *4" regulator and LP conversion kits included, *3/4" gas inlet pipe. *3/4" /25mm thickness griddle plate.
98	Gas Grill with Oven	MR-GG36T		RANGE, 36" w/36" Griddle top, Manual control, 1-static oven Dimension/mm:914*797*1530 LPG Power:36kW/Full Machine Natural Gas:31.9kW/Full Machine U shape Burner Power:8.8kW/each Oven Temperature : 100°C-260°C	Plywood Package *Thermostat control,Natural gas. *Robert Shaw safety gas valve and thermostat *SS430 cabinet, *4" regulator and LP conversion kits included, *3/4" gas inlet pipe. *25mm thickness griddle plate.
99	Gas BBQ Grill with Oven	MR-GL36		RANGE, 36" w/36" Charbroiler top, Manual control, 1-static oven Dimension/mm: 914*797*1530 LPG Power:40.4kW/Full Machine Natural Gas:39kW/Full Machine	Plywood Package Oven Temperature : 100°C-260°C U shape Burner Power:10.3kW/each
100	Gas Grill with Oven	MR36-GG24M-2B		RANGE, 36" w/ 24" Griddle top, Manual control, 2-12" top burners, 1-static oven Dimension/mm:914*797*1530 LPG Power:44.8kW/Full Machine Natural Gas:39.8kW/Full Machine	Plywood Package Oven Temperature : 100°C-260°C U shape Burner Power:10.3kW/each Each Burner size:30cm Each burner Natural Gas Power:8.8kW Each burner LPG Gas Power:7.9kW Griddle Hotplate/mm:605*526

Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
101	Gas BBQ Grill with Oven	MR36- GG12M-4B		RANGE, 36" w/ 12" Griddle top, Manual control, 4-12" top burners, 1-static oven Dimension/mm:914*797*1530 LPG Power:44.8kW/Full Machine Natural Gas:39.8kW/Full Machine	Plywood Package Oven Temperature : 100°C-260°C U shape Burner Power:8.8kW/each Each Burner size:30cm Each burner Natural Gas Power:8.8kW Each burner LPG Gas Power:7.9kW Hotplate/mm:300*526*20mm thicker
102	Gas BBQ Grill & Burner with Oven	MR36-GL24- 2B		RANGE, 36" w/ 24" Charbroiler top, 2-12" top burners, 1-static oven Dimension/mm:914*797*1530 LPG Power:47.8kW/Full Machine Natural Gas:44.5kW/Full Machine	Plywood Package Oven Temperature : 100°C-260°C U shape Burner Power:10.3kW/each Each Burner size:30cm Each burner Natural Gas Power:8.8kW Each burner LPG Gas Power:7.9kW Cooking Plate size:609*517mm U shape Burner Power:10.3kW/each
103	Gas Burner with Oven	MR48GB		RANGE, 48", 8burners, 2static oven Dimension/mm:1218*797*1530 LPG Power:89.7kW/Full Machine Natural Gas:79.7kW/Full Machine	Plywood Package Each Burner size:30cm Each burner Natural Gas Power:8.8kW Each burner LPG Gas Power:7.9kW
104	Gas Burner & Grill with Oven	MR48- GG24M-4B		RANGE, 48" w/ 24"Griddle top, Manual control, 4-12" top burners, 2-static oven Dimension/mm:1218*797*1530 LPG Power:72.1kW/Full Machine Natural Gas:63.9kW/Full Machine	Plywood Package Griddle Hotplate/mm:605*526*20mm thicker Each Burner size:30cm Each burner Natural Gas Power:8.8kW Each burner LPG Gas Power:7.9kW
105	Gas Burner & Grill with Oven	MR48- GG24T-4B		RANGE, 48" w/ 24"Griddle top, Thermostat control, 4-12" top burners, 2static oven Dimension/mm:1218*797*1530 LPG Power:72.1kW/Full Machine Natural Gas:63.9kW/Full Machine	Plywood Package Griddle Hotplate/mm:605*526*20mm thicker Each Burner size:30cm Each burner Natural Gas Power:8.8kW Each burner LPG Gas Power:7.9kW
106	Gas Lava Rock Grill & Burner with Oven	MR48-GL24- 4B		RANGE, 48" w/ 24" Charbroiler top, Manual control, 4-12" top burners, 2-static oven Dimension/mm:1218*797*1530 LPG Power:75kW/Full Machine Natural Gas:68.6kW/Full Machine NW'GW: 262.5/320kg	Plywood Package Each Burner size:30cm Each burner Natural Gas Power:8.8kW Each burner LPG Gas Power:7.9kW Cooking Plate size:609*517mm U shape Burner Power:10.3kW/each
107	Gas Burner with Oven	MR60GB		Range, 60" Dimension/mm:1523*797*1530 LPG Power:44.8kW/Full Machine Natural Gas:39.8kW/Full Machine	Plywood Package 10-burner, Natural gas. Alpha Brass valve for both top burner and oven, SS430 front panel and back splash plate, galvanized side and back, 5" big volume regulator with LP conversion kits.
108	Gas Burner & Grill with Oven	MR60- GG24M		Range, 60" Dimension/mm:1523*797*1530 LPG Power:36kW/Full Machine Natural Gas:31.9kW/Full Machine Griddle Hotplate/mm:605*526*20mm thicker	Plywood Package 6-burner+24"manual griddle, Natural gas. Alpha Brass valve for both top burner and oven, SS430 front panel and back splash plate, galvanized side and back, 5" big volume regulator with LP conversion kits.

Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
109	Gas Burner &Grill with Oven	MR60-GG24T		Dimension/mm: 1523*797*1530 LPG Power:36kW/Full Machine Natural Gas:31.9kW/Full Machine Griddle Hotplate/mm:605*526*20mm thicker Griddle Hotplate/mm:605*526*20mm thicker	Plywood Package 6-burner+24"T-stat griddle, Natural gas. Alpha Brass valve for both top burner and oven, SS430 front panel and back splash plate, galvanized side and back, 5" regulator with LP conversion kits.
110	Gas Charbroiler &Burner with Oven	MR60-GL24		Range, 60" Dimension/mm:1523*797*1530 LPG Power:40.4kW/Full Machine Natural Gas:39kW/Full Machine Cooking Plate size:609*517mm U shape Burner Power:10.3kW/each	Plywood Package 6-burner+24" charbroiler,Natural gas. Alpha Brass valve for both top burner and oven, SS430 front panel and back splash plate, galvanized side and back, 5" big vlolume regulator with LP conversion kits.
111	Gas Burner &Grill with Oven	MR60-GGM-GB		Dimension/mm:1523*797*1530 24" Grill +6 Burners Griddle Hotplate/mm:605*526*20mm thicker	Plywood Package