







## Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
1	Convection Oven	EC01-1		Voltage:220-240V/50Hz Power: 4.5Kw Pan Size: 318*440mm x4pcs Chamber Size: 460*370*350mm Dimension: 670*650*470mm	* Body Material: SUS 201 * Single Fan * Function: Spray, Top Heating
2	Convection Oven	CO-4F		Voltage:220~240V/50HZ Power:2.67KW Dimension:595*600*580mm Carton:650*650*660mm	*0~300℃ Temperature Range 两个风机，两条发热管 四个435*315尺寸的盘，不锈钢内胆 产品尺寸：595*600*580 内腔：412*462*348
3	Convection Oven	EC01C-01		Voltage:220~240V/50HZ Power:4.5KW Exterior Dimension:670x650x470mm Inner liner Dimension: 460x370x350mm Baking tray Dimension: 318x440mmx4pcs	*0~300℃ Temperature Range 可放4层烤盘，双风机双向热风循环加热，搪瓷内胆
4	Convection Oven	EC01C-02		Voltage:220~240V/50HZ Power:4.5KW Exterior Dimension:590x569x545mm Inner liner Dimension: 460x370x350mm Baking tray Dimension: 318x440mmx4pcs	*0~300℃ Temperature Range 可放4层烤盘，双风机双向热风循环加热，搪瓷内胆 一个风机可以减50元
5	Convection Oven	CO-8F		Voltage:220~240V/50HZ Power:2.67KW Dimension:835*796*572mm Carton:890*850*650mm	*0~300℃ Temperature Range

## Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
6	Convection Oven	EC01-E		Voltage: 220-240V/50Hz Power: 6Kw Pan Size: 580*400mm x4pcs Chamber Size: 620*422*450mm Dimension: 880*800*595mm	* Body Material: SUS 201 * 0~350℃ Temperature Range * Spray Function
7	Convection Oven	EC03D		Voltage:220-240V/50Hz Power: 2.5Kw Pan Size: 318*440mmx4pcs Chamber Size: 465*370*270mm Dimension: 670*650*395mm	* Body Material: SUS 201 * Micro-computer control * Function: Spray, Top Heating
8	Convection Oven	EC01C		Voltage:220-240V/50Hz Power: 4.5Kw Pan Size: 318*440mm x4pcs Chamber Size: 460*370*350mm Dimension: 670*650*470mm	* Body Material: SUS 201 * Double Fan * Function: Spray, Top Heating * Temperature Range: 0-350℃
9	Convection Oven	EC01C-01		Voltage:220~240V/50HZ Power:4.5KW Exterior Dimension:670x650x470mm Inner liner Dimension: 460x370x350mm Baking tray Dimension: 318x440mmx4pcs	*0~300℃ Temperature Range 可放4层烤盘，双风机双向热风循环加热，搪瓷内胆
10	Convection Oven	EC01C-02		Voltage:220~240V/50HZ Power:4.5KW Exterior Dimension:590x569x545mm Inner liner Dimension: 460x370x350mm Baking tray Dimension: 318x440mmx4pcs	*0~300℃ Temperature Range 可放4层烤盘，双风机双向热风循环加热，搪瓷内胆 一个风机可以减50元
11	Convection Oven	EC01F		Voltage:220-240V/50Hz Power: 4.5Kw Pan Size: 318*440mm x4pcs Chamber Size: 460*370*350mm Dimension: 590*650*560mm	* Body Material: SUS 201 * Double Fan * Function: Spray, Top Heating, Rotation Pan * Temperature Range: 0-350℃








## Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
12	Convection Oven	CK03D		Voltage:220-240V/50Hz Power:2.5KW Chamber Size:465*370*270mm Dimension:670*650*395mm Carton:700*735*460mm	*0~350℃ Temperature Range *Spray +Top Heating
13	Convection Oven	CK02C		Voltage:220-240V/50Hz Power:4.5Kw Pan Size: 318*440mmx4pcs Chamber Size:460*370*350mm Dimension:675*640*500mm	* Body Material: SUS 201 * Micro-computer control * Function: Spray, Top Heating
14	Convection Oven	CK02E		Voltage:220-240V/50Hz Power: 6Kw Pan Size: 600*400mm x4pcs Chamber Size: 645*455*420mm Dimension: 920*815*600mm	* Body Material: SUS 201 * Micro-computer control * Function: Spray, Top Heating
15	convection oven	CK06-60		Voltage:220-240V/50Hz Power: 3.5KW Chamber Size 486x382x350mm Dimension: 636x640x614mm Aluminum Tray Size: 440x320mmx 5pcs	*0~350℃ Temperature Range 可放5层烤盘 双向热风循环加热 喷雾加湿功能 记忆菜单功能 醒发功能 保温功能 冷却功能 烘干功能 内置抽水泵
16	convection oven	CK06-60L		Voltage:220-240V/50Hz Power: 3.5KW Chamber Size : 486x382x350mm Dimension: 636x704x659mm Aluminum Tray Size: 440x320mmx 5pcs	可放5层烤盘、液晶显示屏、电子锁开门、内置水箱、可调风速（高中低三档）程控模式（四阶段自动烘焙）双向热风循环加热 喷雾加湿功能 记忆菜单功能 醒发功能 保温功能 冷却功能 烘干功能
17	Convection Oven	CK06-95		Voltage:220-240V/50Hz Power: 4KW Chamber Size : 663x429x350mm Dimension: 840x745x644mm Aluminum Tray Size: 580x400mmx 5pcs	*0~350℃ Temperature Range 可放5层60x40烤盘 双向热风循环加热 喷雾加湿功能 记忆菜单功能 醒发功能 保温功能 冷却功能 烘干功能 内置抽水泵
18	Convection Oven	CK06-95L		Voltage:220-240V/50Hz Power: 4KW Chamber Size : 663x429x350mm Dimension: 840x809x659mm Aluminum Tray Size: 580x400mmx 5pcs	可放5层烤盘、液晶显示屏、电子锁开门、内置水箱、可调风速（高中低三档）程控模式（四阶段自动烘焙）双向热风循环加热 喷雾加湿功能 记忆菜单功能 醒发功能 保温功能 冷却功能 烘干功能
19	Convection Oven	CK06-120		Voltage:220-240V/50Hz Power: 6KW Chamber Size : 663x469x481mm Dimension: 840x785x744mm Aluminum Tray Size: 580x400mmx 4pcs	*0~350℃ Temperature Range 可放5层60x40烤盘 双向热风循环加热 喷雾加湿功能 记忆菜单功能 醒发功能 保温功能 冷却功能 烘干功能 内置抽水泵

## Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
20	Convection Oven	CK06-120L		Voltage:220-240V/50Hz Power: 6KW Chamber Size : 663x469x481mm Dimension: 840x849x789mm Aluminum Tray Size: 580x400mmx 4pcs	可放4层烤盘、液晶显示屏、电子锁开门、内置水盒、可调风速（高中低三档）程控模式（四阶段自动烘焙）双向热风循环加热 喷雾加湿功能 记忆菜单功能 醒发功能 保温功能 冷却功能 烘干功能
21	Convection Oven	CKF-60		Voltage:220-240V/50Hz Power: 4.7KW Chamber Size : 465x370x350mm Dimension: 636x645x571mm Aluminum Tray Size: 440x320mmx 5pcs	可放4层烤盘 蒸煮食品功能 可不间断地提供水蒸气 双向热风循环加热 喷雾加湿功能 记忆菜单功能 内置抽水泵
22	Convection Oven	CKF-60L		Voltage:220-240V/50Hz Power: 2.7KW Chamber Size : 486x382x350mm Dimension: 636x669x639mm Aluminum Tray Size: 440x320mmx 5pcs	可放5层烤盘、液晶显示屏、电子锁开门、内置水盒、蒸煮食品功能 可不间断地提供水蒸气、可调风速（高中低三档）程控模式（四阶段自动烘焙）双向热风循环加热 喷雾加湿功能 记忆菜单功能 醒发功能 保温功能 冷却功能 烘干功能
23	Convection Oven	CKF-120		Voltage:220-240V/50Hz Power:4KW Chamber Size : 663x429x350mm Dimension: 840x755x659mm Aluminum Tray Size: 580x400mmx 5pcs	可放5层烤盘、液晶显示屏、蒸煮食品功能 可不间断地提供水蒸气 可调风速（高中低三档）程控模式（四阶段自动烘焙）双向热风循环加热 喷雾加湿功能 记忆菜单功能 醒发功能 保温功能 冷却功能 烘干功能
24	Convection Oven	CKF-120L		Voltage:220-240V/50Hz Power:4KW Chamber Size : 663x429x350mm Dimension: 840x755x659mm Aluminum Tray Size: 580x400mmx 5pcs	可放5层烤盘、液晶显示屏、电子锁开门、内置水盒、蒸煮食品功能 可不间断地提供水蒸气、可调风速（高中低三档）程控模式（四阶段自动烘焙）双向热风循环加热 喷雾加湿功能 记忆菜单功能 醒发功能 保温功能 冷却功能 烘干功能
25	Convection Oven	CK05A		Voltage:220-240V/50Hz Power: 3KW Chamber Size : 465x370x325mm Dimension: 670x565x550mm Aluminum Tray Size: 440x320mmx 4pcs	风炉平炉一体机，可放4层烤盘 LED显示屏 热风烘焙模式 平炉烘焙模式（上下火加热）双向热风循环加热 可调风速（高中低三档）程控模式（三阶段自动烘焙）喷雾加湿功能 发酵功能 冷却功能 保温功能 记忆菜单功能 内置抽水泵
26	Convection Oven	CK02A		Voltage:220-240V/50Hz Power: 3KW Chamber Size : 465x370x325mm Dimension: 670x565x550mm Aluminum Tray Size: 440x320mmx 4pcs	可放4层烤盘 LED显示屏 热风烘焙模式 双向热风循环加热 可调风速（高中低三档）程控模式（三阶段自动烘焙）喷雾加湿功能 发酵功能 冷却功能 保温功能 记忆菜单功能 内置抽水泵
27	Convection Oven	CK10C		Voltage:220-240V/50Hz Power: 6KW Chamber Size : 485x380x690mm Dimension: 755x640x920mm Aluminum Tray Size: 440x320mmx 10pcs	可放10层烤盘 双向热风循环加热 程控模式（三阶段自动烘焙）喷雾加湿功能 记忆菜单功能 内置抽水泵

## Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
28	Convection Oven	EC04-35		Power:2KW Dimension:490x490x440mm Chamber Size:390x255x300mm Food Pan :4360x270mmx3pcs	Black/White color as option
29	Convection Oven	EC04-60		Power:3kW Dimension:570x585x500mm Chamber Size:470x325x375mm Food Pan :440x320mmx4pcs	Black/White color as option
30	Convection Oven	EC04-120		Power:4kW Dimension:840x725x585mm Chamber Size:663x429x350mm Food Pan :580x400mmx5pcs	可放5层60x40烤盘 智能旋钮控制 拉杆式门拉手 双向热风循环加热 喷雾加湿功能 记忆菜单功能 内置抽水泵
31	Convection Oven (GAS)	MF-COG		Voltage:230v/50hz Power:15.8KW Convection Oven, single , SS430 cabinet, whole porcelain interior. With single leg kits Dimension/mm:970*1130*1520 GW: 21.9kg	Plywood Package 60 minutes timer reminder function Precise temperature control, adjustable temperature range 66℃~260℃ Two-speed motor speed 950~1437/min Five nickel-plated shelves, ten adjustment positions Professional ignition control module with hot surface ignition Flip type control panel Shell solid thickness 1.2mm
32	Convection Oven (Electric)	MF-COE/208		Power:10KW Convection Oven, electric, single , SS430 cabinet, whole porcelain interior. 208V, 3 phase. With single leg kits Dimension/mm: 970*1130*1520 GW: 21.9kg	Plywood Package 60 minutes timer reminder function Precise temperature control, adjustable temperature range 66℃~260℃ Two-speed motor speed 950~1437/min Five nickel-plated shelves, ten adjustment positions Flip type control panel Shell solid thickness 1.2mm
33	Convection Oven (Electric)	MF-COE/240		Power:10KW Convection Oven, electric, single , SS430 cabinet, whole porcelain interior. 240V, single phase. With single leg kits Dimension/mm:970*1130*1520 GW: 21.9kg	Plywood Package 60 minutes timer reminder function Precise temperature control, adjustable temperature range 66℃~260℃ Two-speed motor speed 950~1437/min Five nickel-plated shelves, ten adjustment positions Flip type control panel Shell solid thickness 1.2mm
34	Convection Oven (GAS)	MF-COG-2		Voltage:230v/50hz Power:15.8KW Convection Oven, double, SS430 cabinet, whole porcelain interior. With double stack kits Dimension/mm:970*1130*1760 GW: 43.8kg	Plywood Package 60 minutes timer reminder function Precise temperature control, adjustable temperature range 66℃~260℃ Two-speed motor speed 950~1437/min Five nickel-plated shelves, ten adjustment positions Professional ignition control module with hot surface ignition Flip type control panel Shell solid thickness 1.2mm



## Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
35	Convection Oven (Electric )	MF-COE/208-2		Power:10KW Convection Oven, electric, double , SS430 cabinet, whole porcelain interior. 208V, 3 phase. With double stack kits Dimension/mm:970*1130*1760 GW: 43.8kg	Plywood Package 60 minutes timer reminder function Precise temperature control, adjustable temperature range 66℃~260℃ Two-speed motor speed 950~1437/min Five nickel-plated shelves, ten adjustment positions Flip type control panel Shell solid thickness 1.2mm
36	Convection Oven (Electric )	MF-COE/240-2		Power:10KW Convection Oven, electric, double , SS430 cabinet, whole porcelain interior. 240V, single phase. With double stack kits Dimension/mm:970*1130*1760 GW: 43.8kg	Plywood Package 60 minutes timer reminder function Precise temperature control, adjustable temperature range 66℃~260℃ Two-speed motor speed 950~1437/min Five nickel-plated shelves, ten adjustment positions Flip type control panel Shell solid thickness 1.2mm
37	Electric Convection Oven With steamer	CO-5D		Volts:380V50HZ Size:905*1280*955mm Power: 7.5kw Capacity:5*(400*600mm) Material: all the body is ss 201 NW:130KG GW:140KG	Full stainless steel body 5Layers Food Tray size: 400*600mm
38	convection oven	CO-5DJ		Size:905*1280*1570mm Volts:380V50HZ Power: 7.5kw Power:5*(400*600mm) Material: all the body is ss 201 NW:180KG GW:220KG	Full stainless steel body 5Layers Food Tray size: 400*600mm
39	Convection Oven	CO-8D		Size:905*1280*1280mm Volts:380V50HZ Power: 15kw Power:8*(400*600mm) Material: all the body is ss 201 NW:160KG GW:190KG	Full stainless steel body 8Layers Food Tray size: 400*600mm
40	Convection Oven	CO-10D		Size:905*1280*1520mm Volts:380V50HZ Power: 15kw Power:10*(400*600mm) Material: all the body is ss 201 NW:250KG GW:290KG	Full stainless steel body 10Layers Food Tray size: 400*600mm
41	Electric Convection Oven With steamer	CO-5DH		Size:905*1280*955mm Volts:380V50HZ Power: 7.5kw Power:5*(400*600mm) Material: all the body is ss 201 NW:130KG GW:140KG	Full stainless steel body 5Layers Food Tray size: 400*600mm
42	Electric Convection Oven With steamer	CO-5DHJ		Size:905*1280*1570mm Volts:380V50HZ Power: 7.5kw Capacity:5*(400*600mm) Material: all the body is ss 201 NW:180KG GW:220KG	Full stainless steel body 5Layers Food Tray size: 400*600mm

## Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
43	Electric Convection Oven With steamer	CO-8DH		Size:905*1280*1280mm Volts:380V50HZ Power: 15kw Power:8*(400*600mm) Material: all the body is ss 201 NW:160KG GW:190KG	Full stainless steel body 8Layers Food Tray size: 400*600mm
44	Convection oven	CO-10QH		Size:905*1450*1520mm Volts:220V50HZ Power: 1.1kw Capacity:10*(400*600mm) Material: all the body is ss 201 NW:260KG GW:290KG	Full stainless steel body 10Layers Food Tray size: 400*600mm
45	Gas Convection oven with steamer	CO-5Q		Size:905*1450*955mm Volts:220V50HZ Power: 0.55kw Capacity:5*(400*600mm) Material: all the body is ss 201 NW:150KG GW:170KG	Full stainless steel body 5Layers Food Tray size: 400*600mm
46	Gas Convection oven with steamer	CO-8Q		Size:905*1450*1280mm Volts:220V50HZ Power: 1.1kw Capacity:8*(400*600mm) Material: all the body is ss 201 NW:230KG GW:270KG	Full stainless steel body 8Layers Food Tray size: 400*600mm
47	Gas Convection oven with steamer	CO-5QH		Size:905*1450*955mm Volts:220V50HZ Power: 0.55kw Capacity:5*(400*600mm) Material: all the body is ss 201 NW:150KG GW:170KG	Full stainless steel body 5Layers Food Tray size: 400*600mm
48	Gas Convection oven with steamer	CO-8QH		Size:905*1450*1280mm Volts:220V50HZ Power: 1.1kw Capacity:8*(400*600mm) Material: all the body is ss 201 NW:230KG GW:270KG	Full stainless steel body 8Layers Food Tray size: 400*600mm
49	Convection oven	CO-10QH		Size:905*1450*1520mm Volts:220V50HZ Power: 1.1kw Capacity:10*(400*600mm) Material: all the body is ss 201 NW:260KG GW:290KG	Full stainless steel body 10Layers Food Tray size: 400*600mm
50	Convection oven	CO-10Q		Size:905*1450*1520mm Volts:220V50HZ Power: 1.1kw Capacity:10*(400*600mm) Material: all the body is ss 201 NW:260KG GW:290KG	Full stainless steel body 10Layers Food Tray size: 400*600mm

## Product Brochure

---

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
-----	------------	-------	------------------------	---------------	--------