



















## Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
1	Electric Griddle	EG-818		Voltage: 220~240V/50Hz Power: 3000W Plate Thickness: 8mm Cooking Area: 548*350mm Dimension: 550*430*250mm Temperature Range: 50~300℃	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Flat</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
2	Electric Griddle	EG-818-2		Voltage: 220~240V/50Hz Power: 3000W Plate Thickness: 8mm Cooking Area: 548*350mm Dimension: 550*430*250mm Temperature Range: 50~300℃	<ul style="list-style-type: none"> <li>● Plate Pattern: Half Flat Half Groove</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
3	Electric Griddle	EG-818-3		Voltage: 220~240V/50Hz Power: 3000W Plate Thickness: 8mm Cooking Area: 548*350mm Dimension: 550*430*250mm Temperature Range: 50~300℃	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Groove</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
4	Electric Griddle	EG-818D		Voltage: 220~240V/50Hz Power: 3000W Plate Thickness: 8mm Cooking Area: 548*350mm Dimension: 550*430*250mm Temperature Range: 50~300℃	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Flat</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: Chrome</li> <li>● Device: Thermostat+Temperature Limiter+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
5	Electric Griddle	EG-820		Volts: 220~240V/50Hz Power: 4400W Plate Thickness: 10mm Cooking Area: 728*400mm Dimension: 730*470*250mm Temperature Range: 50~300℃ N.W.: 31KG, G.W.: 33KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Flat</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Indicator Light</li> <li>● Certification: CE,RoHS</li> </ul>
6	Electric Griddle	EG-820-2		Volts: 220~240V/50Hz Power: 4400W Plate Thickness: 10mm Cooking Area: 728*400mm Dimension: 730*470*250mm Temperature Range: 50~300℃ N.W.: 31KG, G.W.: 33KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Half Flat Half Groove</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>







## Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
7	Electric Griddle	EG-820-3		Voltage: 220~240V/50Hz Power: 4400W Plate Thickness: 10mm Cooking Area: 728*400mm Dimension: 730*470*250mm Temperature Range: 50~300℃ N.W.: 31KG G.W.: 33KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Groove</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
8	Electric Griddle	EG-820D		Volts: 220~240V/50Hz Power: 4400W Plate Thickness: 10mm Cooking Area: 728*400mm Dimension: 730*470*250mm Temperature Range: 50~300℃ N.W.: 31KG, G.W.: 33KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Flat</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: Chrome</li> <li>● Device: Thermostat+Temperature Limiter+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
9	Electric Griddle	EG-330		Volts: 220~240V/50Hz Power: 3000W Plate thickness:8mm Plate size: 356*385mm Dimension: 330*540*245mm	<ul style="list-style-type: none"> <li>● Body material: stainless steel 201</li> <li>● Plate type: full flat</li> <li>● Certification: CE,RoHS</li> </ul>
10	Electric Griddle	EG-330-2		Volts: 220~240V/50Hz Power: 3000W Plate thickness:8mm Plate size: 356*385mm Dimension: 330*540*245mm	<ul style="list-style-type: none"> <li>● Body material: stainless steel 201</li> <li>● Plate type: full flat</li> <li>● Certification: CE,RoHS</li> </ul>
11	Electric Griddle	EG-330-3		Volts: 220~240V/50Hz Power: 3000W Plate thickness:8mm Plate size: 356*385mm Dimension: 330*540*245mm	<ul style="list-style-type: none"> <li>● Body material: stainless steel 201</li> <li>● Plate type: full flat</li> <li>● Certification: CE,RoHS</li> </ul>
12	Electric Griddle	EG-660		Volts: 220~240V/50Hz Power: 6000W Plate thickness: 16mm Plate size: 650*385mm Dimension: 660*500*310mm	<ul style="list-style-type: none"> <li>* Body material: stainless steel 201</li> <li>* Plate type: full flat</li> </ul>
13	Electric Griddle	EG-360		Voltage: 220~240V/50Hz Power: 2000W Plate Thickness: 8mm Cooking Area: 356*385mm Dimension: 360*450*220mm Temperature Range: 50~300℃ N.W.: 15.5KG G.W.: 17KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Flat</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Power Switch+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>

## Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
14	Electric Griddle	EG-360-2		Voltage: 220~240V/50Hz Power: 2000W Plate Thickness: 8mm Cooking Area: 356*385mm Dimension: 360*450*220mm Temperature Range: 50~300℃ N.W.: 15.5KG G.W.: 17KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Half Flat Half Groove</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Power Switch+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
15	Electric Griddle	EG-360-3		Voltage: 220~240V/50Hz Power: 2000W Plate Thickness: 8mm Cooking Area: 356*385mm Dimension: 360*450*220mm Temperature Range: 50~300℃ N.W.: 15.5KG G.W.: 17KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Groove</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Power Switch+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
16	Electric Griddle	EG-360D		Voltage: 220~240V/50Hz Power: 2000W Plate Thickness: 8mm Cooking Area: 356*385mm Dimension: 360*450*220mm Temperature Range: 50~300℃ N.W.: 15.5KG G.W.: 17KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Flat</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: Chrome</li> <li>● Device: Thermostat+Temperature Limiter+Power Switch+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
17	Electric Griddle	EG-548		Voltage: 220~240V/50Hz Power: 3000W Plate Thickness: 8mm Cooking Area: 548*365mm Dimension: 555*475*220mm Temperature Range: 50~300℃ N.W.: 20.5KG G.W.: 22.5KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Flat</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Power Switch+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
18	Electric Griddle	EG-548-2		Voltage: 220~240V/50Hz Power: 3000W Plate Thickness: 8mm Cooking Area: 548*365mm Dimension: 555*475*220mm Temperature Range: 50~300℃ N.W.: 20.5KG G.W.: 22.5KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Half Flat Half Groove</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Power Switch+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>

## Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
19	Electric Griddle	EG-548-3		Voltage: 220~240V/50Hz Power: 3000W Plate Thickness: 8mm Cooking Area: 548*365mm Dimension: 555*475*220mm Temperature Range: 50~300℃ N.W.: 20.5KG G.W.: 22.5KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Groove</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Power Switch+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
20	Electric Griddle	EG-548D		Voltage: 220~240V/50Hz Power: 3000W Plate Thickness: 8mm Cooking Area: 548*365mm Dimension: 555*475*220mm Temperature Range: 50~300℃ N.W.: 20.5KG G.W.: 22.5KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Flat</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: Chrome</li> <li>● Device: Thermostat+Temperature Limiter+Power Switch+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
21	Electric Griddle	EG-738		Voltage: 220~240V/50Hz Power: 4400W Plate Thickness: 10mm Cooking Area: 728*400mm Dimension: 735*525*240mm Temperature Range: 50~300℃ N.W.: 29KG, G.W.:32KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Flat</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Power Switch+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
22	Electric Griddle	EG-738-2		Volts: 220~240V/50Hz Power: 4400W Plate Thickness: 10mm Cooking Area: 728*400mm Dimension: 735*525*240mm Temperature Range: 50~300℃ N.W.: 29KG, G.W.:32KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Half Flat Half Groove</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Power Switch+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
23	Electric Griddle	EG-738-3		Volts: 220~240V/50Hz Power: 4400W Plate Thickness: 10mm Cooking Area: 728*400mm Dimension: 735*525*240mm Temperature Range: 50~300℃ N.W.: 29KG, G.W.:32KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Flat</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Power Switch+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
24	Electric Griddle	EG-738D		Voltage: 220~240V/50Hz Power: 4400W Plate Thickness: 10mm Cooking Area: 728*400mm Dimension: 735*525*240mm Temperature Range: 50~300℃ N.W.: 29KG, G.W.:32KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Flat</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: Chrome</li> <li>● Device: Thermostat+Temperature Limiter+Power Switch+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>









## Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
25	Electric Griddle	EG-738-2D		Volts: 220~240V/50Hz 110V/60Hz Power: 4400W Plate Thickness: 10mm Coaming Thickness:1.5mm Body Thickness:0.8mm Dimension: 730*510*270mm Inner box size: 805*590*305mm Outer box size: 825*610*330mm N.W.:36KG /G.W.:39.2KG	Plate Pattern: Full Flat Body Material: 201 SUS Body Plate Matrial: Chorme-plating+ Iron Flame Out Protective Device 2个温控器300°C 2个温度限制器 350°C 2 x 电源开关 2个加热灯
26	Electric Griddle	EG-500		Volts: 220~240V/50Hz Power: 3000W Plate Thickness: 10mm Cooking Area: 496*398mm Dimension: 500*520*330mm Temperature Range: 50~300°C N.W.: 26KG G.W.:27.5KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Flat</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
27	Electric Griddle	EG-500-2		Volts: 220~240V/50Hz Power: 3000W Plate Thickness: 10mm Cooking Area: 496*398mm Dimension: 500*520*330mm Temperature Range: 50~300°C N.W.: 26KG G.W.:27.5KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Half Flat Half Groove</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
28	Electric Griddle	EG-500-3		Volts: 220~240V/50Hz Power: 3000W Plate Thickness: 10mm Cooking Area: 496*398mm Dimension: 500*520*330mm Temperature Range: 50~300°C N.W.: 26KG G.W.:27.5KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Groove</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
29	Electric Griddle	EG-500D		Volts: 220~240V/50Hz Power: 3000W Plate Thickness: 10mm Cooking Area: 496*398mm Dimension: 500*520*330mm Temperature Range: 50~300°C N.W.: 26KG G.W.:27.5KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Flat</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: Chrome</li> <li>● Device: Thermostat+Temperature Limiter+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
30	Electric Griddle	EG-600		Volts: 220~240V/50Hz Power: 5000W Plate Thickness: 10mm Cooking Area: 596*398mm Dimension: 600*520*330mm Temperature Range: 50~300°C N.W.: 30KG G.W.:33KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Flat</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
31	Electric Griddle	EG-600-2		Volts: 220~240V/50Hz Power: 5000W Plate Thickness: 10mm Cooking Area: 596*398mm Dimension: 600*520*330mm Temperature Range: 50~300°C N.W.: 30KG G.W.:33KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Half Flat Half Groove</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>







## Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
32	Electric Griddle	EG-600-3		Volts: 220~240V/50Hz Power: 3000W Plate Thickness: 10mm Cooking Area: 596*398mm Dimension: 600*520*330mm Temperature Range: 50~300℃ N.W.: 30KG G.W.:33KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Groove</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
33	Electric Griddle	EG-600D		Volts: 220~240V/50Hz Power: 5000W Plate Thickness: 10mm Cooking Area: 596*398mm Dimension: 600*520*330mm Temperature Range: 50~300℃ N.W.: 30KG G.W.:33KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Flat</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: Chrome</li> <li>1 x Thermostat</li> <li>1 x Temperature limiter</li> <li>1 x Power Light</li> <li>1 x Heat Light</li> <li>● Certification: CE,RoHS</li> </ul>
34	Electric Griddle	EG-750		Volts: 220~240V/50Hz Power: 5000W Plate Thickness: 12mm Cooking Area: 746*398mm Dimension: 750*520*330mm Temperature Range: 50~300℃ N.W.: 42KG G.W.:45KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Flat</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
35	Electric Griddle	EG-750-2		Volts: 220~240V/50Hz Power: 5000W Plate Thickness: 12mm Cooking Area: 746*398mm Dimension: 750*520*330mm Temperature Range: 50~300℃ N.W.: 42KG G.W.:45KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Half Flat Half Groove</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
36	Electric Griddle	EG-750-3		Volts: 220~240V/50Hz Power: 5000W Plate Thickness: 12mm Cooking Area: 746*398mm Dimension: 750*520*330mm Temperature Range: 50~300℃ N.W.: 42KG G.W.:45KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Groove</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
37	Electric Griddle	EG-750D		Volts: 220~240V/50Hz Power: 5000W Plate Thickness: 12mm Cooking Area: 746*398mm Dimension: 750*520*330mm Temperature Range: 50~300℃ N.W.: 42KG G.W.:45KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Flat</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: Chrome</li> <li>● Device: Thermostat+Temperature Limiter+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
38	Electric Griddle	EG-1000		Voltage: 220~240V/50Hz Power: 6000W Plate Thickness: 12mm Cooking Area: 996*398mm Dimension:1000*520*330mm Temperature Range: 50~300℃ N.W.: 63KG G.W.: 68KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Flat</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>

## Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
39	Electric Griddle	EG-1000-2		Voltage: 220~240V/50Hz Power: 6000W Plate Thickness: 12mm Cooking Area: 996*398mm Dimension:1000*520*330mm Temperature Range: 50~300℃ N.W.: 63KG G.W.: 68KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Half Flat Half Groove</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
40	Electric Griddle	EG-1000-3		Voltage: 220~240V/50Hz Power: 6000W Plate Thickness: 12mm Cooking Area: 996*398mm Dimension:1000*520*330mm Temperature Range: 50~300℃ N.W.: 63KG G.W.: 68KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Groove</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: A3 Iron</li> <li>● Device: Thermostat+Temperature Limiter+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
41	Electric Griddle	EG-1000D		Voltage: 220~240V/50Hz Power: 6000W Plate Thickness: 12mm Cooking Area: 996*398mm Dimension:1000*520*330mm Temperature Range: 50~300℃ N.W.: 63KG G.W.: 68KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Flat</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: Chrome</li> <li>● Device: Thermostat+Temperature Limiter+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
42	Electric Griddle	EGN-300D		Voltage: 220~240V/50Hz Power: 2000W Plate Thickness: 8mm Cooking Area: 270*330mm Dimension: 300*400*260mm Temperature Range: 50~300℃ N.W.: 11.5KG G.W.: 13.5KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Flat</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: Chrome</li> <li>● Device: EGO Thermostat+Temperature Limiter+Power Switch+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
43	Electric Griddle	EGN-550D		Voltage: 220~240V/50Hz Power: 2400W Plate Thickness: 8mm Cooking Area: 520*330mm Dimension: 550*430*260mm Temperature Range: 50~300℃ N.W.: 19.5KG G.W.: 20.5KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Flat</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: Chrome</li> <li>● Device: EGO Thermostat+Temperature Limiter+Power Switch+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
44	Electric Griddle	EGN-550D-2		Voltage: 220~240V/50Hz Power: 2400W Plate Thickness: 8mm Cooking Area: 520*330mm Dimension: 550*430*260mm Temperature Range: 50~300℃ N.W.: 19.5KG G.W.: 20.5KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Half Flat Half Groove</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: Chrome</li> <li>● Device: EGO Thermostat+Temperature Limiter+Power Switch+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
45	Electric Griddle	EGN-750D		Voltage: 220~240V/50Hz Power: 4400W Plate Thickness: 10mm Cooking Area: 690*410mm Dimension: 720*460*260mm Temperature Range: 50~300℃ N.W.: 33.5KG G.W.: 35.5KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Full Flat</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: Chrome</li> <li>● Device: EGO Thermostat+Temperature Limiter+Power Switch+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>
46	Electric Griddle	EGN-750D-2		Voltage: 220~240V/50Hz Power: 4400W Plate Thickness: 10mm Cooking Area: 690*410mm Dimension:720*460*260mm Temperature Range: 50~300℃ N.W.: 33.5KG G.W.: 35.5KG	<ul style="list-style-type: none"> <li>● Plate Pattern: Half Flat Half Groove</li> <li>● Body Material: SUS 201</li> <li>● Plate Material: Chrome</li> <li>● Device: EGO Thermostat+Temperature Limiter+Power Switch+Indicator Light</li> <li>● Certification: CE,RoHS,Reach</li> </ul>

## Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
47	Electric Grill	EG-24"		Griddle-24" Dimension/mm:873*610*394 Hotplate/mm:609*526 Power:6.7kW N.W:52kg/ G.W:62kg Voltage:220-240V/50Hz 110V/60Hz	Plywood Package electric, thermostat control, SS430 cabinet, 25mm thickness griddle plate.
48	Electric Grill	EG-36"		Griddle-36" Dimension/mm:873*914*394 Hotplate/mm:914*526 Power:10.05kW N.W:120kg/ G.W:157kg Voltage:220-240V/50Hz 110V/60Hz	Plywood Package electric, thermostat control, SS430 cabinet, 25mm thickness griddle plate.
49	Electric Grill	MGG24-T		Griddle-24", Dimension/mm:873*610*394 Hotplate/mm:605*526 Power:17.6kW N.W:87.5kg/ G.W:109kg Burner:2Pcs	*Plywood Package *Thermostat control,Natural gas. *Robert Shaw safety gas valve and thermostat *SS430 cabinet, *4" regulator and LP conversion kits included, *3/4" gas inlet pipe. *25mm thickness griddle plate.
50	Electric Grill	MGG36-T		Griddle-36" Dimension/mm:873*914*394 Hotplate/mm:910*526 Power:26.4kW N.W:124kg/ G.W:153.5kg Burner:3Pcs	*Plywood Package *Thermostat control,Natural gas. *Robert Shaw safety gas valve and thermostat *SS430 cabinet, *4" regulator and LP conversion kits included, *3/4" gas inlet pipe. *25mm thickness griddle plate.
51	Electric Grill	MGG48-T		Griddle-48", Dimension/mm:873*1220*394 Hotplate/mm:1216*526 Power:35.2kW N.W:158kg/ G.W:192.5kg Burner:4Pcs	*Plywood Package *Thermostat control,Natural gas. *Robert Shaw safety gas valve and thermostat *SS430 cabinet, *4" regulator and LP conversion kits included, *3/4" gas inlet pipe. *25mm thickness griddle plate.
52	Electric Grill	MGG60-T		Griddle-60" Dimension/mm:873*1530*394 Hotplate/mm:1526*526 Power:44kW N.W:220kg/ G.W:257.5kg Burner:5Pcs	*Plywood Package *Thermostat control,Natural gas. *Robert Shaw safety gas valve and thermostat *SS430 cabinet, *4" regulator and LP conversion kits included, *3/4" gas inlet pipe. *25mm thickness griddle plate.