



Address: No 11 building. No 3.Nanzhuang Road. Lianhu Village, Shatou Street, Panyu Area. Guangdong

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
1	Counter Chiller with Drawers	MGN2120TN		Dimension/mm: 1360*700*850 Package /mm: 1420*740*910 Temp. Range (°C) :2-8 Net weight (Kgs):99 Gross weight (Kgs): 116 Net Capacity (L): 260 Power:350Watt	*Refrigeration Type:Ventilated / 风冷 1.Europe standard GN 1/1 pan designed 2.Stainless steel AISI 304 structure 3.Ventilated cooling system 4.High density insulation body 5.Europe brand digital controller:dixell or carel 6.Europe brand comprssor:Embraco 7.Smart automatic defrosting 8.Heat reInsulating & Insulating glass 9.Interior body with round corner, easy to clean 10.Self-closing door with magnetic gaskets 11.Adjustable shelving design 12.The depth of the counter can be customized to 60cm,65cm,70cm,75cm,80cm
2	Counter Chiller with Drawers	MGN2130TN		Dimension/mm: 1360*700*850 Package /mm: 1420*740*910 Temp. Range (°C) :2-8 Net weight (Kgs): 101 Gross weight (Kgs): 118 Net Capacity (L): 260 Power:350Watt	*Refrigeration Type:Ventilated / 风冷 1.Europe standard GN 1/1 pan designed 2.Stainless steel AISI 304 structure 3.Ventilated cooling system 4.High density insulation body 5.Europe brand digital controller:dixell or carel 6.Europe brand comprssor:Embraco 7.Smart automatic defrosting 8.Heat reInsulating & Insulating glass 9.Interior body with round corner, easy to clean 10.Self-closing door with magnetic gaskets 11.Adjustable shelving design 12.The depth of the counter can be customized to 60cm,65cm,70cm,75cm,80cm
3	Counter Chiller with Drawers	MGN2140TN		Dimension/mm: 1360*700*850 Package /mm: 1420*740*910 Temp. Range (°C'):2-8 Net weight (Kgs): 104 Gross weight (Kgs): 121 Net Capacity (L): 260 Power:350Watt	*Refrigeration Type:Ventilated / 风冷 1.Europe standard GN 1/1 pan designed 2.Stainless steel AISI 304 structure 3.Ventilated cooling system 4.High density insulation body 5.Europe brand digital controller:dixell or carel 6.Europe brand comprssor:Embraco 7.Smart automatic defrosting 8.Heat reInsulating & Insulating glass 9.Interior body with round corner, easy to clean 10.Self-closing door with magnetic gaskets 11.Adjustable shelving design 12.The depth of the counter can be customized to 60cm,65cm,70cm,75cm,80cm
					*Refrigeration Type:Ventilated / 风冷

Counter Chiller with Drawers MGN2160TN



Dimension/mm: 1360*700*850 Package /mm: 1420*740*910 Temp. Range (°C) :2~8 Net weight (Kgs): 109 Gross weight (Kgs): 126 Net Capacity (L): 260 Power:350Watt

Product Brouchure

- *Refrigeration Type:Ventilated / 风冷 1.Europe standard GN 1/1 pan designed
- 2.Stainless steel AISI 304 structure
- 3.Ventilated cooling system
- 4. High density insulation body
- 5.Europe brand digital controller:dixell or carel
- 6.Europe brand comprssor:Embraco
- 7.Smart automatic defrosting
- 8. Heat reInsulating & Insulating glass
- 9.Interior body with round corner, easy to clean
- 10.Self-closing door with magnetic gaskets
- 11.Adjustable shelving design
 12.The depth of the counter can be customized to 60cm,65cm,70cm,75cm,80cm





Address: No 11 building. No 3.Nanzhuang Road. Lianhu Village, Shatou Street, Panyu Area. Guangdong

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
5	Counter Chiller with Drawers	MGN3120TN		Dimension/mm: 1795*700*850 Package /mm: 1845*740*910 Temp. Range (°C):2-8 Net weight (Kgs): 120 Gross weight (Kgs): 140 Net Capacity (L): 400 Power:370Watt	*Refrigeration Type:Ventilated / 风冷 1.Europe standard GN 1/1 pan designed 2.Stainless steel AISI 304 structure 3.Ventilated cooling system 4.High density insulation body 5.Europe brand digital controller:dixell or carel 6.Europe brand compresor:Embraco 7.Smart automatic defrosting 8.Heat reInsulating & Insulating glass 9.Interior body with round corner, easy to clean 10.Self-closing door with magnetic gaskets 11.Adjustable shelving design 12.The depth of the counter can be customized to 60cm,65cm,70cm,75cm,80cm
6	Counter Chiller with Drawers	MGN3130TN		Dimension/mm: 1795*700*850 Package /mm: 1845*740*910 Temp. Range (°C): 2-8 Net weight (Kgs): 122 Gross weight (Kgs): 142 Net Capacity (L): 400 Power:370Watt	*Refrigeration Type:Ventilated / 风冷 1.Europe standard GN 1/1 pan designed 2.Stainless steel AISI 304 structure 3.Ventilated cooling system 4.High density insulation body 5.Europe brand digital controller:dixell or carel 6.Europe brand comprssor:Embraco 7.Smart automatic defrosting 8.Heat reInsulating & Insulating glass 9.Interior body with round corner, easy to clean 10.Self-closing door with magnetic gaskets 11.Adjustable shelving design 12.The depth of the counter can be customized to 60cm,65cm,70cm,75cm,80cm
7	Counter Chiller with Drawers	MGN3140TN		Dimension/mm: 1795*700*850 Package /mm: 1845*740*910 Temp. Range (°C):2~8 Net weight (Kgs): 127 Gross weight (Kgs): 147 Net Capacity (L): 400 Power:370Watt	*Refrigeration Type:Ventilated / 风冷 1.Europe standard GN 1/1 pan designed 2.Stainless steel AISI 304 structure 3.Ventilated cooling system 4.High density insulation body 5.Europe brand digital controller:dixell or carel 6.Europe brand compressor:Embraco 7.Smart automatic defrosting 8.Heat reInsulating & Insulating glass 9.Interior body with round corner, easy to clean 10.Self-closing door with magnetic gaskets 11.Adjustable shelving design 12.The depth of the counter can be customized to 60cm,65cm,70cm,75cm,80cm

Counter Chiller with Drawers MGN3160TN



Voltage: 220V/50Hz Power: 370W Volume: 400L

Dimension: 1795*700*850mm Temperature Range: 2~8℃

N.W.: 134KG

- Europe standard GN 1/1 pan designed
- Stainless steel AISI 304 structure
- Ventilated cooling system
- High density insulation body
- Europe brand digital controller:dixell or carel
- Europe brand compressor: Embraco
- Smart automatic defrosting
- Heat re-insulating & Insulating glass
- Interior body with round corner, easy to clean
- Self-closing door with magnetic gaskets
- Adjustable shelving design
- Certification: CE





Address: No 11 building. No 3.Nanzhuang Road. Lianhu Village,Shatou Street,Panyu Area.Guangdong

NO. Items Name Model Photos (for reference) Specification Remark • Europe standard GN 1/1 pan designed • Stainless steel AISI 304 structure Ventilated cooling system Voltage: 220V/50Hz · High density insulation body Power: 470W • Europe brand digital controller:dixell or carel Volume: 540L • Europe brand compressor: Embraco Counter Chiller with Drawers MGN4120TN Dimension: 2230*700*850mm • Smart automatic defrosting Temperature Range: 2~8℃ • Heat re-insulating & Insulating glass N.W.: 155KG • Interior body with round corner, easy to clean • Self-closing door with magnetic gaskets Adjustable shelving design Certification: CE • Europe standard GN 1/1 pan designed

10 Counter Chiller with Drawers MGN4130TN



Voltage: 220V/50Hz Power: 470W Volume: 540L

Dimension: 2230*700*850mm Temperature Range: $2\sim$ 8°C N.W.: 158KG

• Stainless steel AISI 304 structure

Ventilated cooling system

High density insulation body

• Europe brand digital controller:dixell or carel

• Europe brand compressor: Embraco

• Smart automatic defrosting

• Heat re-insulating & Insulating glass

• Interior body with round corner, easy to clean

· Self-closing door with magnetic gaskets

Adjustable shelving design

• Certification: CE

Counter Chiller with Drawers MGN4140TN



Voltage: 220V/50Hz Power: 470W Volume: 540L

Dimension: 2230*700*850mm Temperature Range: 2~8°C

N.W.: 171KG

• Europe standard GN 1/1 pan designed

• Stainless steel AISI 304 structure

Ventilated cooling system

High density insulation body

• Europe brand digital controller:dixell or carel

• Europe brand compressor: Embraco

• Smart automatic defrosting

• Heat re-insulating & Insulating glass

• Interior body with round corner, easy to clean

• Self-closing door with magnetic gaskets

Adjustable shelving design

Certification: CE

12 Counter Chiller with Drawers MGN4180TN



Voltage: 220V/50Hz Power: 470W Volume: 540L

Dimension: 2230*700*850mm Temperature Range: 2∼8℃

N.W.: 192KG

• Europe standard GN 1/1 pan designed

• Stainless steel AISI 304 structure

Ventilated cooling system

High density insulation body

• Europe brand digital controller:dixell or carel

• Europe brand compressor: Embraco

Smart automatic defrosting

• Heat re-insulating & Insulating glass

• Interior body with round corner, easy to clean

• Self-closing door with magnetic gaskets

• Adjustable shelving design

Certification: CE





Address: No 11 building. No 3.Nanzhuang Road. Lianhu Village,Shatou Street,Panyu Area.Guangdong

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
13	Counter Freezer with Drawers	MGN2120BT		Voltage: 220V/50Hz Power: 588W Volume: 260L Dimension: 1360*700*850mm Temperature Range: -15∼-20°C N.W.: 105KG	Europe standard GN 1/1 pan designed Stainless steel AISI 304 structure Ventilated cooling system High density insulation body Europe brand digital controller:dixell or carel Europe brand compressor: Embraco Smart automatic defrosting Heat re-insulating & Insulating glass Interior body with round corner, easy to clean Self-closing door with magnetic gaskets Adjustable shelving design Certification: CE
14	Counter Freezer with Drawers	MGN2130BT		Voltage: 220V/50Hz Power: 588W Volume: 260L Dimension: 1360*700*850mm Temperature Range: 2∼8℃ N.W.: 105KG	Europe standard GN 1/1 pan designed Stainless steel AISI 304 structure Ventilated cooling system High density insulation body Europe brand digital controller:dixell or carel Europe brand compressor: Embraco Smart automatic defrosting Heat re-insulating & Insulating glass Interior body with round corner, easy to clean Self-closing door with magnetic gaskets Adjustable shelving design Certification: CE
15	Counter Freezer with Drawers	MGN2140BT		Voltage: 220V/50Hz Power: 588W Volume: 260L Dimension: 1360*700*850mm Temperature Range: 2∼8℃ N.W.: 112KG	Europe standard GN 1/1 pan designed Stainless steel AISI 304 structure Ventilated cooling system High density insulation body Europe brand digital controller:dixell or carel Europe brand compressor: Embraco Smart automatic defrosting Heat re-insulating & Insulating glass Interior body with round corner, easy to clean Self-closing door with magnetic gaskets Adjustable shelving design Certification: CE
16	Counter Freezer with Drawers	MGN2160BT		Voltage: 220V/50Hz Power: 588W Volume: 260L Dimension: 1360*700*850mm Temperature Range: 2~8°C N.W.: 113KG	Europe standard GN 1/1 pan designed Stainless steel AISI 304 structure Ventilated cooling system High density insulation body Europe brand digital controller:dixell or carel Europe brand compressor: Embraco Smart automatic defrosting Heat re-insulating & Insulating glass Interior body with round corner, easy to clean Self-closing door with magnetic gaskets Adjustable shelving design Certification: CE

• Certification: CE





Address: No 11 building. No 3.Nanzhuang Road. Lianhu Village, Shatou Street, Panyu Area. Guangdong

NO.	Items Name	Model	Photos (for reference)	Specification	Remark	
17	Counter Freezer with Drawers	MGN3120TN		Voltage: 220V/50Hz Power: 560W Volume: 400L Dimension: 1795*700*850mm Temperature Range: -15~-20°C N.W.: 124KG	Europe standard GN 1/1 pan designed Stainless steel AISI 304 structure Ventilated cooling system High density insulation body Europe brand digital controller:dixell or carel Europe brand compressor: Embraco Smart automatic defrosting Heat re-insulating & Insulating glass Interior body with round corner, easy to clean Self-closing door with magnetic gaskets Adjustable shelving design Certification: CE	
18	Counter Freezer with Drawers	MGN3130BT		Voltage: 220V/50Hz Power: 560W Volume: 400L Dimension: 1795*700*850mm Temperature Range: -15~-20°C N.W.: 124KG	Europe standard GN 1/1 pan designed Stainless steel AISI 304 structure Ventilated cooling system High density insulation body Europe brand digital controller:dixell or carel Europe brand compressor: Embraco Smart automatic defrosting Heat re-insulating & Insulating glass Interior body with round corner, easy to clean Self-closing door with magnetic gaskets Adjustable shelving design Certification: CE	
19	Counter Freezer with Drawers	MGN3140BT		Voltage: 220V/50Hz Power: 560W Volume: 400L Dimension: 1795*700*850mm Temperature Range: -15∼-20°C N.W.: 130KG	Europe standard GN 1/1 pan designed Stainless steel AISI 304 structure Ventilated cooling system High density insulation body Europe brand digital controller:dixell or carel Europe brand compressor: Embraco Smart automatic defrosting Heat re-insulating & Insulating glass Interior body with round corner, easy to clean Self-closing door with magnetic gaskets Adjustable shelving design Certification: CE	
20	Counter Freezer with Drawers	MGN3160BT		Voltage: 220V/50Hz Power: 560W Volume: 400L Dimension: 1795*700*850mm Temperature Range: -15∼-20°C N.W.: 131KG	Europe standard GN 1/1 pan designed Stainless steel AISI 304 structure Ventilated cooling system High density insulation body Europe brand digital controller:dixell or carel Europe brand compressor: Embraco Smart automatic defrosting Heat re-insulating & Insulating glass Interior body with round corner, easy to clean Self-closing door with magnetic gaskets	

Self-closing door with magnetic gaskets
Adjustable shelving design
Certification: CE





Address: No 11 building. No 3.Nanzhuang Road. Lianhu Village, Shatou Street, Panyu Area. Guangdong

Fibu	uct brochure				
NO.	Items Name	Model	Photos (for reference)	Specification	Remark
21	Counter Freezer with Drawers	MGN4120BT		Voltage: 220V/50Hz Power: 798W Volume: 540L Dimension: 2230*700*850mm Temperature Range: -15~-20℃ N.W.: 158KG	Europe standard GN 1/1 pan designed Stainless steel AISI 304 structure Ventilated cooling system High density insulation body Europe brand digital controller:dixell or carel Europe brand compressor: Embraco Smart automatic defrosting Heat re-insulating & Insulating glass Interior body with round corner, easy to clean Self-closing door with magnetic gaskets Adjustable shelving design Certification: CE
22	Counter Freezer with Drawers	MGN4130BT		Voltage: 220V/50Hz Power: 798W Volume: 540L Dimension: 2230*700*850mm Temperature Range: -15∼-20°C N.W.: 162KG	Europe standard GN 1/1 pan designed Stainless steel AISI 304 structure Ventilated cooling system High density insulation body Europe brand digital controller:dixell or carel Europe brand compressor: Embraco Smart automatic defrosting Heat re-insulating & Insulating glass Interior body with round corner, easy to clean Self-closing door with magnetic gaskets Adjustable shelving design Certification: CE
23	Counter Freezer with Drawers	MGN4140BT		Dimension/mm: 2230*700*850 Package /mm: 2280*740*910 Temp. Range (°C): -15~-20 Net weight (Kgs): 175 Net Capacity (L): 540 Power: 798Watt GW: 195kg	Europe standard GN 1/1 pan designed Stainless steel AISI 304 structure Ventilated cooling system High density insulation body Europe brand digital controller:dixell or carel Europe brand compressor: Embraco Smart automatic defrosting Heat re-insulating & Insulating glass Interior body with round corner, easy to clean Self-closing door with magnetic gaskets Adjustable shelving design Certification: CE
24	Counter Freezer with Drawers	MGN4180BT		Voltage: 220V/50Hz Power: 798W Volume: 540L Dimension: 2230*700*850mm Temperature Range: -15~-20°C N.W.: 198KG	Europe standard GN 1/1 pan designed Stainless steel AISI 304 structure Ventilated cooling system High density insulation body Europe brand digital controller:dixell or carel Europe brand compressor: Embraco Smart automatic defrosting Heat re-insulating & Insulating glass Interior body with round corner, easy to clean

Self-closing door with magnetic gaskets
Adjustable shelving design
Certification: CE