













## Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
1	DEF donut electric fryer (Double row)	DEF-100		<p>Voltage/Power: 220V/6000W Capacity/hour: 300-1200/H Donut size: 20-120mm Mold size: 25MM,35MM,45MM/3PC Barrel capacity: 7L Oil tank size: 805*310*115mm Tank Size: 845*345*125mm Transport dimensions:1010*350*170mm Dimension:1300*605*415mm Carton:1095*700*565mm NW: 48kg                      GW:62kg</p>	<p>* Stainless Steel 304 Body, Double temperature control *Device: Auto counting system+Auto temperature controll+over heat temperature protection+slow-fast speed device+single/double cooking system+power on and off device+One-click discharge/cake check function+Gear running system+3 different thickness of donut +quality oil valve</p>
2	DEF donut electric fryer (Double row Multi-flower shape)	DEF-100S		<p>Voltage/Power: 220V/6000W Capacity/hour: 300-1200/H Donut size: 20-120mm Mold size: Potty, Circle, Spherical/3PC Barrel capacity: 7L Oil tank size: 805*310*115mm Tank Size: 845*345*125mm Transport dimensions:1010*350*170mm Dimension:1300*605*415mm Carton:1095*700*565mm NW: 48kg                      GW:62kg</p>	<p>* Stainless Steel 304 Body, Double temperature control *Device: Auto counting system+Auto temperature controll+over heat temperature protection+slow-fast speed device+single/double cooking system+power on and off device+One-click discharge/cake check function+Gear running system+3 different thickness of donut +quality oil valve</p>
3	DEF donut electric fryer (Single row/machine)	DEF-101		<p>Voltage/Power: 220V/3000W Capacity/hour: 500/H Donut size: 20-120mm Mold size: Potty, Circle, Spherical/3PC Barrel capacity: 7L Oil tank size: 815*175*100mm Tank Size: 850*205*180mm Transport dimensions:815*205*125mm Dimension:1050*400*650mm Carton:1040*400*470mm NW: 28kg                      GW:38kg</p>	<p>* Stainless Steel 304 Body, Double temperature control *Device: Auto counting system+Auto temperature controll+over heat temperature protection+slow-fast speed device+quality oil valve+Leverage starting principle transport +wind wheel push start oil principle</p>
4	DEF donut electric fryer (Single row/The number is displayed)	DEF-101U		<p>Voltage/Power: 220V/3000W Capacity/hour: 500/H Donut size: 20-120mm Mold size: Potty, Circle, Spherical/3PC Barrel capacity: 7L Oil tank size: 815*175*100mm Tank Size: 850*205*180mm Transport dimensions:815*205*125mm Dimension:1050*400*650mm Carton:1040*400*470mm NW: 28kg                      GW:38kg</p>	<p>* Stainless Steel 304 Body, Double temperature control *Device: Auto counting system+Auto temperature controll+over heat temperature protection+slow-fast speed device+quality oil valve+Leverage starting principle transport +wind wheel push start oil principle</p>





## Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
5	DEF donut electric fryer (Electrical integration)	DEF-100A		Voltage/Power: 220V/6KW Capacity/hour: 300-1200/H Donut size: 20-120mm Mold size: 25MM,35MM,45MM/3PC Barrel capacity: 7L Oil tank size: 805*310*115mm Tank Size: 845*310*115mm Transport dimensions:1010*350*170mm Dimension:1300*650*840mm Carton:1100*700*600mm NW: 74kg                      GW:84kg Two sets of molds	* Stainless Steel 304 Body, Double temperature control *Device: Auto counting system+Auto temperature controll+over heat temperature protection+slow-fast speed device+single/double cooking system+power on and off device+One-click discharge/cake check function+Gear running system+3 different thickness of donut +quality oil valve+Gas and electricity can be used separately or in combination+battery/AC one-click conversion+ voltage under/overload protection
6	DEF donut electric fryer (Gas is fully automatic)	DEF-100B		Voltage/Power:220V/50W Capacity/hour: 300-1200/H Donut size: 20-120MM Mold size: 25MM,35MM,45MM/3PC Barrel capacity: 7L Oil tank size: 805*310*115mm Tank Size: 845*310*115mm Transport dimensions:1010*350*170mm Dimension:1300*650*840mm Carton:1100*700*600mm NW: 74k'g                      GW:84k'g Two sets of molds	* Stainless Steel 304 Body, Double temperature control *Device: Auto counting system+Auto temperature controll+over heat temperature protection+slow-fast speed device+single/double cooking system+power on and off device+One-click discharge/cake check function+Gear running system+3 different thickness of donut +quality oil valve+battery/AC one-click conversion+ voltage under/overload protection
7	DEF donut electric fryer (Hand)	DEF-102		Voltage/Power:220V/3KW Capacity/hour: 500/2000/H Donut size: 50-90/30-50MM Mold size: Potty, Circle, Spherical/3PC Barrel capacity: 9L Oil tank size: 500*500*100mm Tank Size: 530*530*160mm Drag board size: 480*475*50mm Dimension:1050*700*650mm Carton:1100*740*370mm NW: 35k'g                      GW:52kg	* Stainless Steel 304 Body, A safety system that prevents load-prone *Device: 3 gears without grade thickness adjustment+ three sets of molds, simple operation and easy to replace+ robot original design+ a variety of flower type design in a variety of sizes+Auto temperature controll+ quality oil valve
8	DEF donut electric fryer (electric)	DEF-102S		Voltage/Power:220V/3.1KW Capacity/hour: 500/2000/H Donut size: 50-90/30-50MM Mold size: Potty, Circle, Spherical/3PC Barrel capacity: 9L Oil tank size: 500*500*100mm Tank Size: 530*530*160mm Drag board size: 480*475*50mm Dimension:1050*700*650mm Carton:1100*740*370mm NW: 45k'g                      GW:57kg	* Stainless Steel 304 Body, A safety system that prevents load-prone *Device: 3 gears without grade thickness adjustment+ three sets of molds, simple operation and easy to replace+ robot original design+ a variety of flower type design in a variety of sizes+Auto temperature controll+ quality oil valve+slow-fast speed device+ double start-stop power switch+production speed adjustment+ electric feed forming



## Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
9	DGF donut gas fryer (Hand)	DGF-102RQ		Used Gas:Coal/NATURAL GAS Capacity/hour: 500/2000/H Donut size: 50-90/30-50MM Mold size: Potty, Circle, Spherical/3PC Barrel capacity: 9L Oil tank size: 375*445*260mm Tank Size: 390*530*160mm Drag board size: 520*310*100mm Dimension:950*650*550mm Carton:600*615*680 NW: 40kg                      GW: 60kg	* Stainless Steel 304 Body. A safety system that prevents load-prone *Device: 3 gears without grade thickness adjustment+ three sets of molds, simple operation and easy to replace+ robot original design+ a variety of flower type design in a variety of sizes+Auto temperature controll+ quality oil valve+Auto temperature controll+ quality oil valve+fire control+fire pipe energy-saving heating
10	DGF donut gas fryer (electric)	DGF-102SRQ		Used Gas:50W/Coal/NATURAL GAS Capacity/hour: 500/2000/H Donut size: 50-90/30-50MM Mold size: Potty, Circle, Spherical/3PC Barrel capacity: 9L Oil tank size: 375*445*260mm Tank Size: 390*530*160mm Drag board size: 520*310*100mm Dimension:950*650*550mm Carton:600*615*680 NW: 45kg                      GW: 65kg	* Stainless Steel 304 Body. A safety system that prevents load-prone *Device: 3 gears without grade thickness adjustment+ three sets of molds, simple operation and easy to replace+ robot original design+ a variety of flower type design in a variety of sizes+Auto temperature controll+ quality oil valve+Auto temperature controll+ quality oil valve+fire control+fire pipe energy-saving heating+production speed adjustment + electric feed forming
11	DEF donut electric fryer (Hand)	DEF-103		Voltage/Power:220V/3KW Capacity/hour: 500/2000/H Donut size: 50-90/30-50MM Mold size: Potty, Circle, Spherical/3PC Barrel capacity: 9L Oil tank size: 500*500*100mm Tank Size: 530*530*160mm Drag board size: 480*475*50mm Dimension:1050*700*1400mm Carton:755*745*1080mm NW: 60kg                      GW:85kg	* Stainless Steel 304 Body. A safety system that prevents load-prone *Device: 3 gears without grade thickness adjustment+ three sets of molds, simple operation and easy to replace+ robot original design+ a variety of flower type design in a variety of sizes+Auto temperature controll+ quality oil valve+Lockers/workbench
12	DEF donut electric fryer	DEF-103S		Voltage/Power:220V/3.1KW Capacity/hour: 500/2000/H Donut size: 50-90/30-50MM Mold size: Potty, Circle, Spherical/3PC Barrel capacity: 9L Oil tank size: 500*500*100mm Tank Size: 530*530*160mm Drag board size: 480*475*50mm Dimension:1050*700*1400mm Carton:755*745*1080mm NW: 60kg                      GW:85kg	* Stainless Steel 304 Body. A safety system that prevents load-prone *Device: 3 gears without grade thickness adjustment+ three sets of molds, simple operation and easy to replace+ robot original design+ a variety of flower type design in a variety of sizes+Auto temperature controll+ quality oil valve+slow-fast speed device+ double start-stop power switch+production speed adjustment+ electric feed forming+ Lockers/workbench

## Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
13	DGF donut gas fryer (Hand)	DGF-103RQ		Used Gas:Coal/NATURAL GAS Capacity/hour: 500/2000/H Donut size: 50-90/30-50MM Mold size: Potty, Circle, Spherical/3PC Barrel capacity: 9L Oil tank size: 375*445*260mm Tank Size: 390*530*160mm Drag board size: 520*310*100mm Dimension:950*650*1250mm Carton:1100*750*650 NW: 70kg                      GW: 90kg	* Stainless Steel 304 Body. A safety system that prevents load-prone *Device: 3 gears without grade thickness adjustment+ three sets of molds, simple operation and easy to replace+ robot original design+ a variety of flower type design in a variety of sizes+Auto temperature controll+ quality oil valve+Auto temperature controll+ quality oil valve+fire control+fire pipe energy-saving heating+four-way active wheel
14	DGF donut gas fryer (electric)	DGF-103SRQ		Used Gas:50W/Coal/NATURAL GAS Capacity/hour: 500/2000/H Donut size: 50-90/30-50MM Mold size: Potty, Circle, Spherical/3PC Barrel capacity: 9L Oil tank size: 375*445*260mm Tank Size: 390*530*160mm Drag board size: 520*310*100mm Dimension:950*650*1250mm Carton:1100*750*650 NW: 70kg                      GW: 90kg	* Stainless Steel 304 Body. A safety system that prevents load-prone *Device: 3 gears without grade thickness adjustment+ three sets of molds, simple operation and easy to replace+ robot original design+ a variety of flower type design in a variety of sizes+Auto temperature controll+ quality oil valve+Auto temperature controll+ quality oil valve+fire control+fire pipe energy-saving heating+production speed adjustment + electric feed forming+four-way active wheel
15	DEF donut electric fryer	DEF-LBD4		Voltage/Power:220V/2KW Capacity/hour: 1800/H Donut size: 30-50MM Mold size: 25MM/4 Barrel capacity: 5.5L Oil tank size: 388*248*63mm Tank Size: 420*280*680mm Transport dimensions: 380*275*60mm Dimension:500 (+240) *400*400mm Carton:570*450*440mm NW: 16kg                      GW:17.5kg	* Stainless Steel 304 Body *Device: automatic overheat protection+ double-key start protection+5 gears can be product thickness+ 60 seconds fixed speed adjustment+6 digits display count of 4+ automatic constant temperature, heating+multi-directional rotating feed head+simple removal cleaning+ precision structure
16	DEF donut electric fryer	DEF-LBD6		Voltage/Power:220V/2KW Capacity/hour: 1800/H Donut size: 30-50MM Mold size: 25MM/6 Barrel capacity: 9.5L Oil tank size: 388*364*63mm Tank Size: 420*396*680mm Transport dimensions: 380*391*60mm Dimension:500 (+310) *530*400mm Carton:590*550*450mm NW: 19kg                      GW: 21kg	* Stainless Steel 304 Body *Device: automatic overheat protection+ double-key start protection+5 gears can be product thickness+ 60 seconds fixed speed adjustment+6 digits display count of 4+ automatic constant temperature, heating+multi-directional rotating feed head+simple removal cleaning+ precision structure

## Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
17	DEF donut electric fryer	DEF-T-480		<p>Voltage/Power:220V/10KW Capacity/hour: 1900-7600/H Donut size: 30~120MM Mold size: 25MM,35MM,45MM*4/12 PC Barrel capacity: 30L Oil tank size: 960*440*100mm Tank Size: 1000*515*205mm Transport dimensions: 900*440*100mm Dimension: 1165*680*690mm Carton: 1220*670*670mm NW: 65kg                      GW: 100k'g</p>	<p>* Stainless Steel 304 Body *Device: each system is controlled separately+automatic temperature control+ ultra-high temperature protection system+fast and slow regulator+lever starting principle transport+wind wheel push start oil principle+4 in 1 safety drain valve+ independent control molding speed.+you can choose multiple production+ the whole machine can be independently controlled</p>
18	DEF donut electric fryer (Gas Single row/machine)	DEF-T-100BU		<p>Voltage/Power:220V/50W Capacity/hour: 300~2300/H Donut size: 30~100MM Mold size: 25MM,35MM,45MM/3PC Barrel capacity: 7L Oil tank size: 805*310*130mm Tank Size: 845*345*260mm Transport dimensions:1010*350*170mm Dimension:1300*700*1100mm Carton:1200*750*750mm NW: 75kg                      GW: 105kg</p>	<p>* Stainless Steel 304 Body, Double temperature control *Device: each system is controlled separately+automatic temperature control+ ultra-high temperature protection system+fast and slow regulator+ voltage under/overload protection+safety drain valve+ battery / AC one-click conversion+doughnut three-grade thick and thin size adjustment+chain track-type delivery</p>