










Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
1	Dough Sheeter	QSJ-400TL		Voltage: 220~240V/50Hz Power: 400W Expanded Width/Height:1990/590mm Stowed Width/Height: 620/690mm Transport Dimension: 400/1600mm Roller Adjustable Gap: 1~35mm Max Rolling Capacity: 4Kg/time Dimension: 1990*840*590mm	TableType Full Stainless Steel Body
2	Dough Sheeter	QSJ-550TL		Voltage: 220~240V/50Hz Power: 550W Expanded Width/Height:2250/590mm Stowed Width/Height: 720/740mm Transport Dimension: 520/1800mm Roller Adjustable Gap: 1~35mm Max Rolling Capacity: 5.5Kg/time Dimension: 2500*960*590mm	TableType Full Stainless Steel Body
3	Dough Sheeter	QSJ-550L		Voltage: 220~240V/50Hz Power: 550W Expanded Width/Height:2700/1100mm Stowed Width/Height: 700/1620mm Transport Dimension: 520/2200mm Roller Adjustable Gap: 1~40mm Max Rolling Capacity: 5.5Kg/time Dimension: 2700*960*1100mm	Floor Type Iron with Painting Body
4	Dough Sheeter	QSJ-400BL		Voltage: 220~240V/50Hz Power: 400W Expanded Width/Height:2000/1040mm Stowed Width/Height: 620/1310mm Transport Dimension: 400/1600mm Roller Adjustable Gap: 1~35mm Max Rolling Capacity: 4Kg/time Dimension: 2000*820*1040mm	Floor Type Full Stainless Steel Body

Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
5	Dough Sheeter	QSJ-550BL		Voltage: 220~240V/50Hz Power: 550W Expanded Width/Height:2700/1100mm Stowed Width/Height: 700/1620mm Transport Dimension: 520/2200mm Roller Adjustable Gap: 1~40mm Max Rolling Capacity: 5.5Kg/time Dimension: 2700*960*1100mm	Floor Type Full Stainless Steel Body 铝箱全钢
6	Dough Sheeter	QSJ-650BL		Voltage: 220~240V/50Hz Power: 750W Expanded Width/Height: 3100/1100mm Stowed Width/Height: 720/1720mm Transport Dimension: 630/2400mm Roller Adjustable Gap: 1~40mm Max Rolling Capacity: 6.5Kg/time Dimension: 3100*1060*1100mm	Floor Type Full Stainless Steel Body 铝箱全钢
7	Dough Sheeter	QSJ-520		Voltage: 220~240V/50Hz Power: 750W Expanded Width/Height: 2050*870*1225mm Stowed Width/Height: 670*870*1565mm Transport Dimension: 500(宽)*1.7 (厚)*1980 (内周长) mm Roller Adjustable Gap: 0~35mm Roller speed (rpm):133 Roller size: 88*520mm Carton:960*750*1605mm NW:175kg GW:213kg	√ Floor Type Full Stainless Steel Body 铝箱全钢

Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
8	Dough Sheeter	QSJ-SM550		Voltage: 220~240V/50Hz Power: 550W Expanded Width/Height:2700/1100mm Stowed Width/Height: 760/1620mm Transport Dimension: 520/2200mm Roller Adjustable Gap: 1~38mm Max Rolling Capacity: 5.5Kg/time Dimension: 2700*960*1100mm	Floor Type Full Stainless Steel Body
9	Dough Sheeter	QSJ-SM650		Voltage: 220~240V/50Hz Power: 750W Expanded Width/Height:3100/1100mm Stowed Width/Height: 760/1720mm Transport Dimension: 630/2400mm Roller Adjustable Gap: 1~38mm Max Rolling Capacity: 6.5Kg/time Dimension: 3100*1060*1100mm	Floor Type Full Stainless Steel Body