



Product Brochure

Address: No 11 building. No 3.Nanzhuang Road. Lianhu Village,Shatou Street,Panyu Area.Guangdong

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
1	Electric Proofer	EP-6A	10.01	Voltage: 220V/50HZ power:2.6kw type:proofer capacity:6tray dimensions:850*700*900mm	
2	Electric Proofer	EP-6B	110.01	type:proofer capacity:6tray Voltage: 220V/50HZ power:2.6kw dimensions:590*690*930mm	
3	Electric Proofer	EP-13		Voltage: 220~240V/50Hz Power: 2600W Capacity: 13 Trays Baking Size: 485*635*1290mm Dimension: 690*480*1620mm	* Material : stainless steel 430
4	Electric Proofer	EP-16A		Voltage: 220~240V/50Hz Power: 2600W Capacity: 16 trays Baking Size: 485*620*1450mm Dimension:480*685*1840mm	* Material : stainless steel 430
5	Electric Proofer	EP-26A		Voltage: 220~240V/50Hz Power: 2800W Capacity: 26 Trays Baking Size: 1000*620*1200mm Dimension: 1000*690*1620mm	* Material : stainless steel 430
6	Electric Proofer	EP-32A		Voltage: 220~240V/50Hz Power: 2800W Capacity: 32 Trays Baking Size: 1000*620*1450mm Dimension: 1000*690*1930mm	* Material : stainless steel 430
7	Electric Proofer	EP-13B		Voltage: 220~240V/50Hz Power: 2600W Capacity: 13 Trays Baking Size: 485*635*1290mm Dimension: 690*480*1620mm	* Material : stainless steel 201
8	Electric Proofer	EP-16B		Voltage: 220~240V/50Hz Power: 2600W Capacity: 16 trays Baking Size: 485*620*1450mm Dimension: 690*480*1930mm	* Material : stainless steel 201





Product Brochure

Address: No 11 building. No 3.Nanzhuang Road. Lianhu Village,Shatou Street,Panyu Area.Guangdong

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
9	Electric Proofer	EP-26B		Voltage: 220~240V/50Hz Power: 2800W Capacity: 26 Trays Baking Size: 1000*620*1200mm Dimension: 1000*690*1620mm	* Material : stainless steel 201
10	Electric Proofer	EP-32B		Voltage: 220~240V/50Hz Power: 2800W Capacity: 32 Trays Baking Size: 1000*620*1450mm Dimension: 1000*690*1930mm	* Material : stainless steel 201
11	LUXURY SERIES HOT AIR CIRCULATION PROOFER WITH SPRAY	EP-13D	B. THILLIAM S. B.	type:foam body with spray proofer capacity:13tray Voltage: 220V/50HZ power:2kw dimensions:500*730*1900mm	带防雾器的泡沫体
12	LUXURY SERIES HOT AIR CIRCULATION PROOFER WITH SPRAY	EP-16D	nummus B	type:foam body with spray proofer capacity:26tray Voltage: 220V/50HZ power:2kw dimensions:500*730*2200mm	带防雾器的泡沫体
13	LUXURY SERIES HOT AIR CIRCULATION PROOFER WITH SPRAY	EP-26D		type:foam body with spray proofer capacity:26tray Voltage: 220V/50HZ power:2kw dimensions:990*730*1900mm	带防雾器的泡沫体
14	LUXURY SERIES HOT AIR CIRCULATION PROOFER WITH SPRAY	EP-32D		type:foam body with spray proofer capacity:32tray Voltage: 220V/50HZ power:2kw dimensions:990*730*2200mm	带防雾器的泡沫体
15	HOT-AIR CONVECTION FERMENTION CABINET	EP-16C		type:double foam body capacity:16tray Voltage: 220V/50HZ power:2.6kw dimensions:600*850*2000mm	
16	HOT-AIR CONVECTION FERMENTION CABINET	EP-32C		capacity:32tray Voltage: 220V/50HZ power:2.8kw dimensions:1120*850*2000mm	



Product Brochure

MARCHEF CO.,LTD

Address: No 11 building. No 3.Nanzhuang Road. Lianhu Village,Shatou Street,Panyu Area.Guangdong

NO. Items Name Model Photos (for reference) Specification Remark

