



Product Brochure

Address: No 11 building. No 3.Nanzhuang Road. Lianhu Village,Shatou Street,Panyu Area.Guangdong

NO. Items Name Model Photos (for reference) Specification Remark

Upright Chiller- Single Glass MGN600TN/



Voltage: 220V/50Hz Power: 490W Net Capacity: 530L Refrigerant: R134a

Temperature Range : +2 ~+8 °C Dimension: 660*790*2040mm

N.W.: 105KG

- Stainless steel AISI 304 structure
- Ventilated cooling system
- High density insulation body
- Europe brand digital controller:dixell or carel
- Europe brand comprssor
- Automatic defrosting
- Self-closing door with magnetic gaskets
- Adjustable shelving
- Glass door is available
- Adjustable feet or castor is available
- Led light is available
- Freezer module are added heating element in door frame ,keep no fog around door frame
- Adjustable feet or castor is available
- Led light is available
- Freezer module are added heating element in door frame ,keep no fog around door frame
- Certification: CE

Upright Chiller- Single Glass MGN650TN/
Doors Series G



Voltage: 220V/50Hz Power: 460W Net Capacity: 580L Refrigerant: R134a

Temperature Range : +2 ~+8 °C Dimension: 740*830*2040mm

N.W.: 130KG

- Stainless steel AISI 304 structure
- Ventilated cooling system
- High density insulation body
- Europe brand digital controller:dixell or carel
- Europe brand comprssor
- Automatic defrosting
- Self-closing door with magnetic gaskets
- Adjustable shelving
- Glass door is available
- Adjustable feet or castor is available
- Led light is available
- Freezer module are added heating element in door frame ,keep no fog around door frame
- Adjustable feet or castor is available
- Led light is available
- Freezer module are added heating element in door frame ,keep no fog around door frame
- Certification: CE

Upright Chiller- Double Glass MGN1200TN/ Doors Series G



Voltage: 220V/50Hz Power: 412W Net Capacity: 1150L Refrigerant: R134a

Temperature Range : +2 ~+8 ℃ Dimension: 1340*800*2040mm

N.W.: 201KG

- Stainless steel AISI 304 structure
- Ventilated cooling system
- High density insulation body
- Europe brand digital controller:dixell or carel
- Europe brand comprssor
- Automatic defrosting
- Self-closing door with magnetic gaskets
- Adjustable shelving
- Glass door is available
- Adjustable feet or castor is available
- Led light is available
- Freezer module are added heating element in door frame ,keep no fog around door frame
- Adjustable feet or castor is available
- Led light is available
- Freezer module are added heating element in door frame ,keep no fog around door frame
- Certification: CE





Product Brochure

Address: No 11 building. No 3.Nanzhuang Road. Lianhu Village,Shatou Street,Panyu Area.Guangdong

NO. Items Name Model Photos (for reference) Specification Remark

4 Upright Chiller- Double Glass MGN1410TN/



Voltage: 220V/50Hz Power: 412W Net Capacity: 1285L Refrigerant: R134a

Temperature Range : +2 ~+8 ℃ Dimension: 1480*830*2040mm

N.W.: 212KG

- Stainless steel AISI 304 structure
- Ventilated cooling system
- High density insulation body
- Europe brand digital controller:dixell or carel
- Europe brand comprssor
- Automatic defrosting
- Self-closing door with magnetic gaskets
- Adjustable shelving
- Glass door is available
- Adjustable feet or castor is available
- Led light is available
- Freezer module are added heating element in door frame ,keep no fog around door frame
- Adjustable feet or castor is available
- Led light is available
- Freezer module are added heating element in door frame ,keep no fog around door frame
- Certification: CE

5 Upright Freezer- Single Glass Doors Series

MGN600BT/



Voltage: 220V/50Hz Power: 490W Net Capacity: 530L Refrigerant: R404a

Temperature Range : -18 ~-22℃ Dimension: 660*790*2040mm

N.W.: 120KG

- Stainless steel AISI 304 structure
- Ventilated cooling system
- High density insulation body
- Europe brand digital controller:dixell or carel
- Europe brand comprssor
- Automatic defrosting
- Self-closing door with magnetic gaskets
- Adjustable shelving
- Glass door is available
- Adjustable feet or castor is available
- Led light is available
- Freezer module are added heating element in door frame ,keep no fog around door frame
- Adjustable feet or castor is available
- Led light is available
- Freezer module are added heating element in door frame ,keep no fog around door frame
- Certification: CE

Upright Freezer- Single Glass Doors Series MGN650BT/ G



Voltage: 220V/50Hz Power: 722W Net Capacity: 580L Refrigerant: R404a

Temperature Range : -18 ~-22℃ Dimension: 740*830*2040mm

N.W.: 159KG

- Stainless steel AISI 304 structure
- Ventilated cooling system
- High density insulation body
- Europe brand digital controller:dixell or carel
- Europe brand comprssor
- Automatic defrosting
- Self-closing door with magnetic gaskets
- Adjustable shelving
- Glass door is available
- Adjustable feet or castor is available
- Led light is available
- Freezer module are added heating element in door frame ,keep no fog around door frame
- Adjustable feet or castor is available
- Led light is available
- Freezer module are added heating element in door frame ,keep no fog around door frame
- Certification: CE





Product Brochure

Address: No 11 building. No 3.Nanzhuang Road. Lianhu Village, Shatou Street, Panyu Area. Guangdong

NO. Items Name Model Photos (for reference) Specification Remark

Upright Freezer- Double Glass Doors Series

7

8

MGN1200BT/ G



Voltage: 220V/50Hz Power: 960W Net Capacity: 1150 Refrigerant: R404a

Temperature Range : -18 ~-22℃ Dimension: 1340*800*2040mm

N.W.: 214KG

- Stainless steel AISI 304 structure
- Ventilated cooling system
- High density insulation body
- Europe brand digital controller:dixell or carel
- Europe brand comprssor
- Automatic defrosting
 Self-closing door with magnetic gaskets
- Adjustable shelving
- Glass door is available
- Adjustable feet or castor is available
- Led light is available
- Freezer module are added heating element in door frame ,keep no fog around door frame
- Adjustable feet or castor is available
- Led light is available
- Freezer module are added heating element in door frame ,keep no fog around door frame
- Certification: CE

Upright Freezer- Double Doors Series

MGN1410BT/



Voltage: 220V/50Hz Power: 920W Net Capacity: 1285L Refrigerant: R404a

Temperature Range : -18 ~-22℃ Dimension: 1480*830*2040mm

N.W.: 271KG

- Stainless steel AISI 304 structure
- Ventilated cooling system
- High density insulation body
- Europe brand digital controller:dixell or carel
- Europe brand comprssor
- Automatic defrosting
- Self-closing door with magnetic gaskets
- · Adjustable shelving
- Glass door is available
- Adjustable feet or castor is available
- Led light is available
- Freezer module are added heating element in door frame ,keep no fog around door frame
- Adjustable feet or castor is available
- Led light is available
- Freezer module are added heating element in door frame ,keep no fog around door frame
- Certification: CE