MARCHEF CO...LTD

Address: No 11 building. No 3.Nanzhuang Road. Lianhu Village, Shatou Street, Panyu Area. Guangdong

• Europe brand digital controller:dixell or carel

• Freezer module are added heating element in

• Freezer module are added heating element in door frame ,keep no fog around door frame

door frame ,keep no fog around door frame • Adjustable feet or castor is available

· Self-closing door with magnetic gaskets

• Adjustable feet or castor is available

• Stainless steel AISI 304 structure • Ventilated cooling system · High density insulation body

• Europe brand compresor Automatic defrosting

Adjustable shelving

· Led light is available

· Led light is available

• Certification: CE

• Glass door is available

Remark

Product Brochure NO. Items Name Model Photos (for reference) Specification

MARCHEF

Upright Chiller- Multiple Doors Series

1

2

MGN600TN/ D

Voltage: 220V/50Hz Power: 360W Net Capacity: 530L Refrigerant: R134a Temperature Range : +2~+8℃ Dimension: 660*790*2040mm N.W.: 104KG

Upright Chiller- Multiple Doors Series

MGN650TN/ D

• Stainless steel AISI 304 structure • Ventilated cooling system · High density insulation body • Europe brand digital controller:dixell or carel • Europe brand comprssor Automatic defrosting Voltage: 220V/50Hz • Self-closing door with magnetic gaskets Power: 310W Adjustable shelving Net Capacity: 580L Glass door is available Refrigerant: R134a • Adjustable feet or castor is available Temperature Range : +2~+8°C Led light is available Dimension: 740*830*2040mm • Freezer module are added heating element in N.W.: 119KG door frame ,keep no fog around door frame • Adjustable feet or castor is available · Led light is available • Freezer module are added heating element in door frame ,keep no fog around door frame • Certification: CE

• High density insulation body • Europe brand digital controller:dixell or carel • Europe brand compresor Automatic defrosting Voltage: 220V/50Hz · Self-closing door with magnetic gaskets Power: 440W Adjustable shelving Net Capacity: 1150L Upright Chiller- Multiple Glass door is available MGN1200TN/ Refrigerant: R134a 3 **Doors Series** D Adjustable feet or castor is available Temperature Range : +2~+8℃ · Led light is available Dimension: 1340*800*2040mm • Freezer module are added heating element in N.W.: 181KG

door frame ,keep no fog around door frame

• Adjustable feet or castor is available

 Stainless steel AISI 304 structure · Ventilated cooling system

- Led light is available
- Freezer module are added heating element in
- door frame ,keep no fog around door frame
- Certification: CE

MARCHEF

P1/3

MARCHEF CO...LTD

Address: No 11 building. No 3.Nanzhuang Road. Lianhu Village, Shatou Street, Panyu Area. Guangdong

Product Brochure NO. Items Name Model Photos (for reference) Specification Remark • Stainless steel AISI 304 structure • Ventilated cooling system · High density insulation body • Europe brand digital controller:dixell or carel • Europe brand compresor Automatic defrosting Voltage: 220V/50Hz · Self-closing door with magnetic gaskets Power: 412W Adjustable shelving Net Capacity: 1285L MGN1410TN/ Upright Chiller- Multiple • Glass door is available 4 Refrigerant: R134a Doors Series • Adjustable feet or castor is available D Temperature Range : +2~+8℃ · Led light is available Dimension: 1480*830*2040mm • Freezer module are added heating element in N.W.: 194KG door frame ,keep no fog around door frame • Adjustable feet or castor is available · Led light is available • Freezer module are added heating element in door frame ,keep no fog around door frame • Certification: CE • Stainless steel AISI 304 structure • Ventilated cooling system · High density insulation body • Europe brand digital controller:dixell or carel • Europe brand comprssor Automatic defrosting Voltage: 220V/50Hz • Self-closing door with magnetic gaskets Power: 490W Adjustable shelving Net Capacity: 530L Upright Freezer- Multiple MGN600BT/ Glass door is available 5 Refrigerant: R404a Doors Series D · Adjustable feet or castor is available Temperature Range : -18 ~-22°C Led light is available Dimension: 660*790*2040mm • Freezer module are added heating element in N.W.: 107KG door frame ,keep no fog around door frame • Adjustable feet or castor is available · Led light is available • Freezer module are added heating element in door frame ,keep no fog around door frame • Certification: CE Stainless steel AISI 304 structure · Ventilated cooling system • High density insulation body • Europe brand digital controller:dixell or carel • Europe brand compresor Automatic defrosting Voltage: 220V/50Hz · Self-closing door with magnetic gaskets Power: 722W Adjustable shelving Net Capacity: 580L MGN650BT/ Glass door is available Upright Freezer- Multiple Refrigerant: R404a 6 **Doors Series** D Adjustable feet or castor is available Temperature Range : -18 ~-22°C · Led light is available Dimension: 740*830*2040mm • Freezer module are added heating element in N.W.: 122KG door frame ,keep no fog around door frame • Adjustable feet or castor is available Led light is available • Freezer module are added heating element in

MARCHEF

- door frame ,keep no fog around door frame
- Certification: CE

Product Brouchure

MARCHEF CO., LTD

Address: No 11 building. No 3.Nanzhuang Road. Lianhu Village,Shatou Street,Panyu Area.Guangdong

MARCHEF

Product Brochure

NO. Items Name Model Photos (for reference) Specification Remark • Stainless steel AISI 304 structure • Ventilated cooling system · High density insulation body • Europe brand digital controller:dixell or carel • Europe brand compresor Automatic defrosting
Self-closing door with magnetic gaskets Voltage: 220V/50Hz Power: 960W • Adjustable shelving Net Capacity: 1150 MGN1200BT/ Glass door is available Upright Freezer- Multiple Refrigerant: R404a 7 Doors Series D • Adjustable feet or castor is available Temperature Range : -18 ~-22℃ · Led light is available Dimension: 1340*800*2040mm • Freezer module are added heating element in N.W.: 194KG door frame ,keep no fog around door frame • Adjustable feet or castor is available • Led light is available • Freezer module are added heating element in door frame ,keep no fog around door frame • Certification: CE • Stainless steel AISI 304 structure • Ventilated cooling system · High density insulation body • Europe brand digital controller:dixell or carel • Europe brand comprssor Automatic defrosting Voltage: 220V/50Hz • Self-closing door with magnetic gaskets Power: 920W Adjustable shelving Net Capacity: 1285L MGN1410BT/ Upright Freezer- Multiple • Glass door is available 8 Refrigerant: R404a Doors Series D • Adjustable feet or castor is available Temperature Range : -18 ~-22°C • Led light is available Dimension: 1480*830*2040mm • Freezer module are added heating element in N.W.: 210KG door frame ,keep no fog around door frame • Adjustable feet or castor is available • Led light is available • Freezer module are added heating element in door frame ,keep no fog around door frame • Certification: CE