MARCHEF CO., LTD

Address: No 11 building. No 3.Nanzhuang Road. Lianhu Village,Shatou Street,Panyu Area.Guangdong

NO. Items Name Model Photos (for reference) Specification Remark • Stainless steel AISI 304 structure • Ventilated cooling system · High density insulation body • Europe brand digital controller:dixell or carel • Europe brand compresor Automatic defrosting Voltage: 220V/50Hz • Self-closing door with magnetic gaskets Power: 340W Adjustable shelving Net Capacity: 530L Glass door is available Upright Chiller- Single S.S. MGN600TN 1 Refrigerant: R134a Door Series • Adjustable feet or castor is available Temperature Range : +2 ~+8 ℃ · Led light is available Dimension: 660*790*2040mm • Freezer module are added heating element in N.W.: 104KG door frame ,keep no fog around door frame • Adjustable feet or castor is available · Led light is available • Freezer module are added heating element in door frame ,keep no fog around door frame Certification: CE • Stainless steel AISI 304 structure • Ventilated cooling system · High density insulation body • Europe brand digital controller:dixell or carel • Europe brand comprssor Automatic defrosting Voltage: 220V/50Hz • Self-closing door with magnetic gaskets Power: 369W Adjustable shelving Net Capacity: 580L Upright Chiller- Single S.S. Glass door is available 2 MGN650TN Refrigerant: R134a Doors Series • Adjustable feet or castor is available Temperature Range : +2 ~+8 °C • Led light is available Dimension: 740*830*2040mm • Freezer module are added heating element in N.W.: 118KG door frame ,keep no fog around door frame • Adjustable feet or castor is available Led light is available • Freezer module are added heating element in door frame ,keep no fog around door frame • Certification: CE Stainless steel AISI 304 structure · Ventilated cooling system • High density insulation body • Europe brand digital controller:dixell or carel • Europe brand compresor Automatic defrosting Voltage: 220V/50Hz · Self-closing door with magnetic gaskets Power: 316W Adjustable shelving Net Capacity: 450L Upright Chiller- Single S.S. MSNACK400 Glass door is available Refrigerant: R134a 3 Doors Series TN • Adjustable feet or castor is available Temperature Range : +2 ~+8°C · Led light is available Dimension: 660*690*2010mm • Freezer module are added heating element in N.W.: 97KG door frame ,keep no fog around door frame • Adjustable feet or castor is available Led light is available • Freezer module are added heating element in door frame ,keep no fog around door frame Certification: CE

M & RCHEF


MARCHEF

Product Brochure

Product Brouchure

MARCHEF CO., LTD

Address: No 11 building. No 3.Nanzhuang Road. Lianhu Village,Shatou Street,Panyu Area.Guangdong




M & RCHEF

MARCHEF

MARCHEF CO., LTD

Address: No 11 building. No 3.Nanzhuang Road. Lianhu Village,Shatou Street,Panyu Area.Guangdong




MARCHEF

M & RCHEF

MARCHEF CO...LTD

Address: No 11 building. No 3.Nanzhuang Road. Lianhu Village, Shatou Street, Panyu Area. Guangdong



11

- High density insulation body
- Europe brand digital controller:dixell or carel
- Europe brand comprssor
- Self-closing door with magnetic gaskets

- Adjustable feet or castor is available
- Freezer module are added heating element in
- door frame ,keep no fog around door frame

- Freezer module are added heating element in
- door frame ,keep no fog around door frame

- Europe brand digital controller:dixell or carel

- · Self-closing door with magnetic gaskets

- Adjustable feet or castor is available
- Freezer module are added heating element in
- door frame ,keep no fog around door frame
- Adjustable feet or castor is available
- Freezer module are added heating element in
- door frame ,keep no fog around door frame

MARCHEF

Product Brochure



Product Brochure

NO.

Items Name

Model

Photos (for reference) Specification

Remark

Address: No 11 building. No 3.Nanzhuang Road. Lianhu Village,Shatou Street,Panyu Area.Guangdong