












Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
1	cold show case	RT-58L		Capacity:58L Temperature range(°C):0-12 AC220-240V 50Hz 180 W Frigerant:R134a/R600a Type Of Climate: 4 Dimension:428(L)*386(W)*925(H) mm Packing :475(L)*432(W)*995(H) mm N.W.: 31 Kgs G.W.: 33 Kgs	*Colour:White/Black *Top LED lighting * Digital controller * 2 Layer Durable PVC coated * Double glass
2	cold show case	RT-68L		Capacity:68L Temperature range(°C):0-12 AC220-240V 50Hz 180 W Frigerant:R134a/R600a Type Of Climate: 4 Dimension:428(L)*386(W)*1000(H) mm Packing :475(L)*432(W)*1070(H) mm N.W.: 33.5 Kgs G.W.: 36 Kgs	*Colour:White/Black *Top LED lighting *Digital controller *3 Layer Durable PVC coated *Double glass
3	cold show case	RT-78L		Capacity:78L Temperature range(°C):0-12 AC220-240V 50Hz 180 W Frigerant:R134a/R600a Type Of Climate: 4 Dimension:428(L)*386(W)*1075(H) mm Packing :475(L)*432(W)*1145(H) mm N.W.: 34.8 Kgs G.W.: 37 Kgs"	*Colour:White/Black *Top LED lighting *Digital controller *3 Layer Durable PVC coated *Double glass
4	cold show case	RT-98L		Capacity:98L Temperature range(°C):0-12 AC220-240V 50Hz 180 W Frigerant:R134a/R600a Type Of Climate: 4 Dimension:428(L)*386(W)*1250(H) mm Packing :475(L)*432(W)*1310(H) mm N.W.: 39 Kgs G.W.: 42 Kgs	*Colour:White/Black *Top LED lighting *Digital controller *4 Layer Durable PVC coated *Double glass

Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
5	cold show case	RT-58L-3		Capacity:58L Temperature range(°C):0-12 AC220-240V 50Hz 190 W Frigerant:R134a/R600a Type Of Climate: 4 Dimension:452(L)*406(W)*816(H) mm Packing :502(L)*456(W)*855(H) mm N.W.: 32 Kgs G.W.: 34 Kgs	*Colour:White/Black *top LED light *Digital controller *2 Layer Durable PVC coated *Double glass *Air duct outside the glass to remove condensation water
6	cold show case	RT-68L-3		Capacity:68L Temperature range(°C):0-12 AC220-240V 50Hz 190 W Frigerant:R134a/R600a Type Of Climate: 4 Dimension:452(L)*406(W)*891(H) mm Packing :502(L)*456(W)*930(H) mm N.W.: 35 Kgs G.W.: 37 Kgs	*Colour:White/Black *top LED light *Digital controller *3 Layer Durable PVC coated *Double glass *Air duct outside the glass to remove condensation water
7	cold show case	RT-78L-3		Capacity:78L Temperature range(°C):0-12 AC220-240V 50Hz 190 W Frigerant:R134a/R600a Type Of Climate: 4 Dimension:452(L)*406(W)*966(H) mm Packing :502(L)*456(W)*1005(H) mm N.W.: 36 Kgs G.W.: 38 Kgs	*Colour:White/Black *top LED light *Digital controller *3 Layer Durable PVC coated *Double glass *Air duct outside the glass to remove condensation water
8	cold show case	RT-98L-3		Capacity:98L Temperature range(°C):0-12 AC220-240V 50Hz 210 W Frigerant:R134a/R600a Type Of Climate: 4 Dimension:452(L)*406(W)*1116(H) mm Packing :502(L)*456(W)*1155(H) mm N.W.: 40 Kgs G.W.: 42.5 Kgs	*Colour:White/Black *top LED light *Digital controller *4 Layer Durable PVC coated *Double glass *Air duct outside the glass to remove condensation water




Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
9	cold show case	RTW-100L-2		Capacity:100L Temperature range(°C):2-10 AC220-240V 50Hz 190/195W Frigerant:R134a/R600a Type Of Climate: 4 Dimension:705(L)*472(W)*687(H) mm Packing :756(L)*524(W)*735(H) mm N.W.: 39 Kgs G.W.: 42.5 Kgs	*Colour:White/Black *LED lighting *Digital controller *2 Layer Durable PVC coated *Double glass
10	cold show case	RTW-100L-3		Capacity:100L Temperature range(°C):2-10 AC220-240V 50Hz 190/195W Frigerant:R134a/R600a Type Of Climate: 4 Dimension:705(L)*472(W)*687(H) mm Packing :756(L)*524(W)*735(H) mm N.W.: 39 Kgs G.W.: 42.5 Kgs	*Colour:White/Black *LED lighting *Digital controller *2 Layer Durable PVC coated *Double glass *Air duct outside the glass to remove condensation water
11	cold show case	RTW-120L-4		Capacity:120L Temperature range(°C):0-12 AC220-240V 50Hz 230/160 W Frigerant:R134a/R600a Type Of Climate: 4 Dimension:702(L)*568(W)*686(H) mm Packing :773(L)*627(W)*735(H) mm N.W.: 57 Kgs G.W.: 60 Kgs	*Colour: Black *LED Lighting *Digital Temperature control *2 Layer Adjustable Chromeplate shelves *Double glass *Air duct outside the glass to remove condensation water
12	cold show case	RTW-160L-4		Capacity:160L Temperature range(°C):0-12 AC220-240V 50Hz 230/160 W Frigerant:R134a/R600a Type Of Climate: 4 Dimension:880(L)*568(W)*686(H) mm Packing :951(L)*627(W)*735(H) mm N.W.: 66 Kgs G.W.: 69.5 Kgs	*Colour: Black *LED Lighting *Digital Temperature control *2 Layer Adjustable Chromeplate shelves *Double glass *Air duct outside the glass to remove condensation water

Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
13	cold show case	RTW-202L-4		Capacity: 200L Temperature range(°C):0-12 AC220-240V 50Hz 230/160 W Frigerant:R134a/R600a Type Of Climate: 4 Dimension:1219(L)*568(W)*686(H) mm Packing :1290(L)*627(W)*735(H) mm N.W.: 88.5 Kgs G.W.: 92.5 Kgs	*Colour: Black *LED Lighting *Digital Temperature control *2 Layer Adjustable Chromeplate shelves *Double glass *Air duct outside the glass to remove condensation water
14	cold show case	RT-215L		Capacity:215L Temperature range(°C):0-12 AC220-240V 50Hz 250 W Frigerant:R134a/R600a Type Of Climate: 4 Dimension:515(L)*485(W)*1595(H) mm Packing :580(L)*540(W)*1660(H) mm N.W.:73 Kgs G.W.: 77 Kgs	*Colour:White/Black *2LED *Stable feet *Digital temperature *Controller *4 Layer Durable PVC coated *Double glass *Curved glass door
15	cold show case	RT-215L-2		Capacity:215L Temperature range(°C):0-12 AC220-240V 50Hz 250 W Frigerant:R134a/R600a Type Of Climate: 4 Dimension:515(L)*485(W)*1735(H) mm Packing :580(L)*540(W)*1800(H) mm N.W.:75 Kgs G.W.: 79 Kgs	*Colour:White/Black *2LED *Stable feet *Digital temperature *Controller *4 Layer Durable PVC coated *Double glass *Curved glass door
16	cold show case	RT-235L		Capacity:235L Temperature range(°C):0-12 AC220-240V 50Hz 250 W Frigerant:R134a/R600a Type Of Climate: 4 Dimension:515(L)*485(W)*1690(H) mm Packing :580(L)*540(W)*1760(H) mm N.W.:76Kgs G.W.: 80.5 Kgs	*Colour:White/Black *2LED *Stable feet *Digital temperature *Controller *4 Layer Durable PVC coated *Double glass *Curved glass door

Product Brochure

NO.	Items Name	Model	Photos (for reference)	Specification	Remark
17	cold show case	RT-235L-2		Capacity:235L Temperature range(°C):0-12 AC220-240V 50Hz 250 W Frigerant:R134a/R600a Type Of Climate: 4 Dimension:515(L)*485(W)*1835(H) mm Packing :580(L)*540(W)*1900(H) mm N.W.:78.4Kgs G.W.: 82.5 Kgs	*Colour:White/Black *2LED *Stable feet *Digital temperature *Controller *4 Layer Durable PVC coated *Double glass *Curved glass door
18	cold show case	RT-280L		Capacity:280L Temperature range(°C):0-12 AC220-240V 50Hz 320/300 W Frigerant:R134a/R600a Type Of Climate: 3 Dimension:515(L)*485(W)*1895(H) mm Packing :580(L)*540(W)*1960(H) mm N.W.:89Kgs G.W.: 94.1 Kgs	*Colour:White/Black *2LED *Stable feet *Digital temperature *Controller *5 Layer Durable PVC coated *Double glass *Curved glass door
19	cold show case	RT-280L-2		Capacity:280L Temperature range(°C):0-12 AC220-240V 50Hz 320/300 W Frigerant:R134a/R600a Type Of Climate: 3 Dimension:515(L)*485(W)*2035(H) mm Packing :580(L)*540(W)*2100(H) mm N.W.:90Kgs G.W.: 96 Kgs	*Colour:White/Black *2LED *Stable feet *Digital temperature *Controller *5 Layer Durable PVC coated *Double glass *Curved glass door